



US00D628005S

(12) **United States Design Patent**  
**Chapman et al.**

(10) **Patent No.:** **US D628,005 S**  
(45) **Date of Patent:** **\*\* Nov. 30, 2010**

(54) **MAT ON WHICH TO PLACE ITEMS SOUGHT TO BE DRIED OR MAINTAINED DRY**

(76) Inventors: **Dean B. Chapman**, 247 Centre St., 4th Floor, New York, NY (US) 10013; **Gareth Brown**, 604 Jersey Ave., Apt. 1, Jersey City, NJ (US) 07302; **Olivia Bradateanu**, 4 Rydal Pl., Apt. #1, Montclair, NJ (US) 07042

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/316,818**

(22) Filed: **Nov. 4, 2009**

**Related U.S. Application Data**

(63) Continuation-in-part of application No. 12/454,517, filed on May 19, 2009.

(51) **LOC (9) Cl.** ..... **06-13**

(52) **U.S. Cl.** ..... **D6/616**

(58) **Field of Classification Search** ..... D6/610-612, D6/616, 582-584, 332; 297/219.1-229, 297/380; 5/653, 655, 502, 111; 150/154, 150/158, 165; 428/81, 116; 206/581; 211/41.6; 604/348

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

1,522,921	A *	1/1925	Smiley Albert J	.....	211/41.6
4,741,065	A *	5/1988	Parkins	.....	D6/583
4,969,683	A *	11/1990	Wallace et al.	.....	297/219.1
D312,741	S *	12/1990	Treadwell	.....	D6/611
D323,757	S *	2/1992	Beauchan	.....	D6/611
5,190,350	A *	3/1993	Hwang et al.	.....	297/226
5,265,289	A *	11/1993	Swiger et al.	.....	5/111
D360,308	S *	7/1995	Smith et al.	.....	D6/611
5,455,973	A *	10/1995	Brumfield et al.	.....	5/655
5,476,701	A *	12/1995	Berger	.....	428/81

*Primary Examiner*—David G Muller

(74) *Attorney, Agent, or Firm*—Law Offices of Thomas J. Brindisi

(57) **CLAIM**

The ornamental design for a mat on which to place items sought to be dried or maintained dry, as shown and described.

**DESCRIPTION**

FIG. 1 is a front view of a mat formed in accordance with an exemplary embodiment of the present invention, showing the mat open;

FIG. 2 is a rear view of the mat of FIG. 1, showing the mat open;

FIG. 3 is a front perspective view of the mat of FIG. 1, showing the mat partly open;

FIG. 4 is a rear view of the mat of FIG. 1, showing the mat partly open;

FIG. 5 is a right side view of the mat of FIG. 1, showing the mat closed;

FIG. 6 is a rear view of the mat of FIG. 1, showing the mat closed;

FIG. 7 is a left side of the mat of FIG. 1, showing the mat closed;

FIG. 8 is a front view of the mat of FIG. 1, showing the mat closed;


FIG. 9 is a front left perspective of the mat of FIG. 1, showing the mat closed; and,

FIG. 10 is an enlarged bottom view of the mat of FIG. 1, showing the mat closed.

The broken line showing of parts of the drawings is included for the purpose of illustrating use and environment and forms no part of the claimed design.

(Continued)

**1 Claim, 4 Drawing Sheets**



# US D628,005 S

Page 2

---

## U.S. PATENT DOCUMENTS

D370,149 S *	5/1996	Stratton	.....	D6/610	6,848,746 B2 *	2/2005	Gentry	.....	297/380
D387,939 S *	12/1997	Tedesco et al.	.....	D6/610	6,981,289 B2 *	1/2006	Mueller et al.	.....	5/655
D418,354 S *	1/2000	O'Rourke	.....	D6/583	7,617,551 B1 *	11/2009	Deluzio	.....	5/655
6,389,624 B1 *	5/2002	Madole	.....	5/655	2003/0091782 A1 *	5/2003	Burke et al.	.....	428/81
6,694,552 B1 *	2/2004	Vickers	.....	5/655	2007/0197984 A1 *	8/2007	Richardson et al.	.....	604/348
6,773,065 B1 *	8/2004	Stamper	.....	297/256.12	2009/0178204 A1 *	7/2009	Sager	.....	5/655
					2010/0143645 A1 *	6/2010	Wilmsen	.....	428/116

\* cited by examiner




Fig. 1




Fig. 2




Fig. 4




Fig. 3




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10