



US00D628105S

(12) **United States Design Patent**
Lee

(10) **Patent No.:** **US D628,105 S**
(45) **Date of Patent:** **** Nov. 30, 2010**

(54) **DEVICE FOR CONTROLLING AND MEASURING FLOW RATE OF RINGER SOLUTION**

D498,535 S * 11/2004 Genau et al. D24/186
D522,657 S * 6/2006 Murphy et al. D24/186
D602,582 S * 10/2009 Pidgeon et al. D24/108
2009/0099505 A1* 4/2009 Hendrixson et al. 604/48

(75) Inventor: **Doo Yong Lee**, 502-905, Gukhwa
Woosung Apt., Doonsan 3-dong, Seo-gu,
Daejeon (KR) 302-831

* cited by examiner

(73) Assignee: **Doo Yong Lee**, Daejeon (KR)

Primary Examiner—Antoine D Davis

(**) Term: **14 Years**

(57) **CLAIM**

(21) Appl. No.: **29/344,291**

The ornamental design for the device for controlling and measuring flow rate of ringer solution, as shown and described.

(22) Filed: **Sep. 25, 2009**

(30) **Foreign Application Priority Data**

DESCRIPTION

Mar. 27, 2009 (KR) 30-2009-0013010

(51) **LOC (9) Cl.** **10-04**

(52) **U.S. Cl.** **D10/96; D24/108**

(58) **Field of Classification Search** D10/49,
D10/96, 103; D24/107, 108, 186; 604/48;
702/46

See application file for complete search history.


FIG. 1 is a perspective view of the device for controlling and measuring flow rate of ringer solution;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a left side elevational view thereof;
FIG. 5 is a right side elevational view thereof;
FIG. 6 is a top plan elevational view thereof; and,
FIG. 7 is a bottom plan elevational view thereof.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D478,516 S * 8/2003 Larsson et al. D10/96

1 Claim, 7 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7