



US00D628107S

(12) **United States Design Patent**
Lee

(10) **Patent No.:** **US D628,107 S**
(45) **Date of Patent:** **** Nov. 30, 2010**

(54) **DEVICE FOR CONTROLLING AND MEASURING FLOW RATE OF RINGER SOLUTION INCLUDING SCREEN DESIGN**

D498,535 S * 11/2004 Genau et al. D24/186
D522,657 S * 6/2006 Murphy et al. D24/186
D602,582 S * 10/2009 Pidgeon et al. D24/108
2009/0099505 A1 * 4/2009 Hendrixson et al. 604/48

(75) Inventor: **Doo Yong Lee**, 502-905, Gukhwa
Woosung Apt., Doosan 3-dong, Seo-gu,
Daejeon (KR) 302-831

* cited by examiner

Primary Examiner—Antoine D Davis

(73) Assignee: **Doo Yong Lee**, Daejeon (KR)

(57) **CLAIM**

(**) Term: **14 Years**

The ornamental design for the device for controlling and measuring flow rate of ringer solution including screen design, as shown and described.

(21) Appl. No.: **29/344,421**

(22) Filed: **Sep. 29, 2009**

DESCRIPTION

(30) **Foreign Application Priority Data**

Mar. 30, 2009 (KR) 30-2009-0013194

FIG. 1 is a perspective view of a device for controlling and measuring flow rate of ringer solution including screen design according to a first embodiment;

(51) **LOC (9) Cl.** **10-04**

(52) **U.S. Cl.** **D10/103**

FIG. 2 is a front view of the menu design thereof;

(58) **Field of Classification Search** D10/49,
D10/96, 103; D24/107, 108, 186; 604/48;
702/46

FIG. 3 is an enlarged view of the menu design thereof;

See application file for complete search history.

FIG. 4 is a perspective view of a device for controlling and measuring flow rate of ringer solution including screen design according to a second embodiment;

(56) **References Cited**


FIG. 5 is a front view of the menu design thereof; and,

U.S. PATENT DOCUMENTS

FIG. 6 is an enlarged view of the menu design thereof;

D478,516 S * 8/2003 Larsson et al. D10/96

1 Claim, 6 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6