

US00D628153S

(12) **United States Design Patent**
Fujii et al.

(10) **Patent No.:** **US D628,153 S**

(45) **Date of Patent:** **** Nov. 30, 2010**

(54) **MICRO USB CHARGER**

(75) Inventors: **Tami Fujii**, Bellevue, WA (US);
Douglas Wegener, Seattle, WA (US);
Teresa Olding, Seattle, WA (US); **David Thorpe**, Portland, OR (US); **Meral Middleton**, Portland, OR (US);
Idefonso Resuello, Portland, OR (US);
Pierre Harper, Portland, OR (US);
Hector Nunez Realubit, Pasadena, CA (US); **Mario A. C. Escamilla**, Irwindale, CA (US)

(73) Assignee: **T-Mobile USA, Inc.**, Bellevue, WA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/365,984**

(22) Filed: **Jul. 16, 2010**

(51) **LOC (9) Cl.** **13-02**

(52) **U.S. Cl.** **D13/108**

(58) **Field of Classification Search** D13/107-110,
D13/118-119, 184; D14/251, 253, 432,
D14/434, 435.1, 356, 480.1-480.7; 320/107-115
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D512,718 S *	12/2005	Mori et al.	D14/434
D542,221 S *	5/2007	Hriscu et al.	D13/110
D545,311 S *	6/2007	Wai	D14/356
D547,266 S *	7/2007	Wong	D13/110
D556,678 S *	12/2007	Weinstein et al.	D13/103
D556,679 S *	12/2007	Weinstein et al.	D13/103
D559,249 S *	1/2008	Takei	D14/356
D587,265 S *	2/2009	Maiers et al.	D14/356
D592,138 S *	5/2009	Mahaffey et al.	D13/123
D599,737 S *	9/2009	Amidei et al.	D13/110

D599,738 S *	9/2009	Amidei et al.	D13/110
D618,237 S *	6/2010	Wang	D14/356
7,746,029 B2 *	6/2010	Toya	320/107

* cited by examiner

Primary Examiner—Rosemary K Tarcza
(74) *Attorney, Agent, or Firm*—Lee & Hayes, PLLC

(57) **CLAIM**

The ornamental design for a micro USB charger, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an micro USB charger taken from the top, right, and back, and illustrating a first orientation;

FIG. 2 is an alternate perspective view of the micro USB charger of FIG. 1 showing a micro USB connector of the micro USB charger detached from a connector receptacle of the micro USB charger and attachable to micro USB ports;

FIG. 3 is a top plan view of the micro USB charger of FIG. 1;

FIG. 4 is a bottom plan view of the micro USB charger of FIG. 1;

FIG. 5 is a front elevation view of the micro USB charger of FIG. 1;


FIG. 6 is a back elevation view of the micro USB charger of FIG. 1;

FIG. 7 is a left side elevation view of the micro USB charger of FIG. 1; and,

FIG. 8 is a right side elevation view of the micro USB charger of FIG. 1.

The broken lines are directed to environment and are for illustrative purposes only. The broken lines form no part of the claimed design.

1 Claim, 5 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6



FIG. 7



FIG. 8