



US00D628322S

(12) **United States Design Patent**  
**Sakai et al.**

(10) **Patent No.:** **US D628,322 S**

(45) **Date of Patent:** **\*\* Nov. 30, 2010**

(54) **LIGHT EMITTING DIODE LAMP**

D601,278 S \* 9/2009 Takahashi ..... D26/2  
D617,918 S \* 6/2010 Yamamoto et al. .... D26/2

(75) Inventors: **Makoto Sakai**, Kanagawa (JP); **Asuka Wada**, Kanagawa (JP); **Kazufumi Yoshida**, Kanagawa (JP); **Junichiro Yamamoto**, Kanagawa (JP)

**FOREIGN PATENT DOCUMENTS**

EM D001680661-0003 4/2010  
JP D1372495 11/2009  
JP D1372496 11/2009

(73) Assignees: **Toshiba Lighting & Technology Corporation**, Kanagawa (JP); **Kabushiki Kaisha Toshiba**, Tokyo (JP)

\* cited by examiner

(\*\*) Term: **14 Years**

*Primary Examiner*—Marcus A Jackson  
(74) *Attorney, Agent, or Firm*—J.C. Patents

(21) Appl. No.: **29/366,639**

(57) **CLAIM**

(22) Filed: **Jul. 28, 2010**

The ornamental design for a light emitting diode lamp, as shown.

(30) **Foreign Application Priority Data**

Mar. 8, 2010 (JP) ..... 2010-005507

**DESCRIPTION**

(51) **LOC (9) Cl.** ..... **26-04**

(52) **U.S. Cl.** ..... **D26/2**

(58) **Field of Classification Search** ..... D26/1-4;  
313/313, 315, 316, 317, 318, 493; 315/52,  
315/53, 56, 57, 58

See application file for complete search history.

FIG. 1 is a perspective view of a light emitting diode lamp showing our new design;

FIG. 2 is a front view thereof;

FIG. 3 is a rear view thereof;

FIG. 4 is a left side view thereof;

FIG. 5 is a right side view thereof;

FIG. 6 is a top view thereof; and,


FIG. 7 is a bottom view thereof.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D536,107 S \* 1/2007 Egawa et al. .... D26/2  
D600,368 S 9/2009 Bertram et al.

**1 Claim, 7 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6






FIG. 7