



US00D628418S

(12) **United States Design Patent**
Camacho-Pantoja

(10) **Patent No.:** **US D628,418 S**
(45) **Date of Patent:** **** Dec. 7, 2010**

(54) **HYGIENIC TOOTHBRUSH HOLDER**

(57) **CLAIM**

(76) Inventor: **Jose A. Camacho-Pantoja**, 179 W.
Broad St., Stamford, CT (US) 06902

The ornamental design for a hygienic toothbrush holder, as shown and described.

(**) Term: **14 Years**

DESCRIPTION

(21) Appl. No.: **29/340,863**

FIG. 1 is a front, top and left side perspective view of a first embodiment of a hygienic toothbrush holder showing my new design;

(22) Filed: **Jul. 27, 2009**

FIG. 2 is a front, top and left side perspective view thereof, with the mounting strip portion omitted for clarity of illustration of the holder portion;

(51) **LOC (9) Cl.** **23-02**

(52) **U.S. Cl.** **D6/534**

(58) **Field of Classification Search** D6/524,
D6/526, 527, 528, 534, 553, 567; 206/208,
206/228, 209, 209.1, 361, 362, 362.1, 362.2,
206/362.3; 211/13.1, 66, 70.6, 86.01, 87.01
See application file for complete search history.

FIG. 3 is a front, top and left side perspective view thereof, with the holder portion omitted for clarity of illustration of the mounting strip portion;

FIG. 4 is a front elevation view thereof;

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,102,284 A	7/1914	Miller	
1,959,600 A	5/1934	Schneider et al.	
1,995,972 A	3/1935	Ehrlich	
3,194,621 A *	7/1965	Frost	D6/534
4,214,657 A *	7/1980	Winston	D6/534
4,473,152 A	9/1984	Jump, Jr. et al.	
D299,481 S *	1/1989	Handler et al.	D6/534
5,035,385 A	7/1991	Markham	
D382,430 S *	8/1997	Thomas	D6/534
D396,762 S *	8/1998	Bermillo	D6/534
D424,855 S	5/2000	Murphy	
D456,217 S *	4/2002	Hawkins et al.	D6/567
6,530,502 B2	3/2003	Neal	
D481,572 S *	11/2003	Dretzka	D6/534
D527,560 S *	9/2006	Bar Noy	D6/534
D538,091 S *	3/2007	Roth	D6/534
D543,749 S *	6/2007	Emmons	D6/534
D604,975 S *	12/2009	Racanelli	D6/534

FIG. 5 is a front elevation view thereof, with the mounting strip portion omitted for clarity of illustration of the holder portion;

FIG. 6 is a front elevation view thereof, with the holder portion omitted for clarity of illustration of the mounting strip portion;

FIG. 7 is a rear elevation view thereof;

FIG. 8 is a rear elevation view thereof, with the holder portion omitted for clarity of illustration of the mounting strip portion;

FIG. 9 is a top plan view thereof;

FIG. 10 is a top plan view thereof, with the mounting strip portion omitted for clarity of illustration of the holder portion;

FIG. 11 is a top plan view thereof, with the holder portion omitted for clarity of illustration of the mounting strip portion;

FIG. 12 is a front, top and left side perspective view of a second embodiment thereof;

FIG. 13 is a front, top and left side perspective view thereof, with the mounting strip portion omitted for clarity of illustration of the holder portion;

FIG. 14 is a front, top and left side perspective view thereof, with the holder portion omitted for clarity of illustration of the mounting strip portion;

* cited by examiner

Primary Examiner—Brian N Vinson
(74) *Attorney, Agent, or Firm*—St. Onge Steward Johnston & Reens LLC




FIG. 15 is a front elevation view thereof;

FIG. 16 is a front elevation view thereof, with the mounting strip portion omitted for clarity of illustration of the holder portion;

FIG. 17 is a front elevation view thereof, with the holder portion omitted for clarity of illustration of the mounting strip portion;

FIG. 18 is a rear elevation view thereof;

FIG. 19 is a rear elevation view thereof, with the mounting strip portion omitted for clarity of illustration of the holder portion;

FIG. 20 is a rear elevation view thereof, with the holder portion omitted for clarity of illustration of the mounting strip portion;

FIG. 21 is a top plan view thereof;

FIG. 22 is a top plan view thereof, with the mounting strip portion omitted for clarity of illustration of the holder portion;

FIG. 23 is a top plan view thereof, with the holder portion omitted for clarity of illustration of the mounting strip portion;

FIG. 24 is a front, top and left side perspective view of a third embodiment thereof;

FIG. 25 is a front, top and left side perspective view thereof, with the mounting strip portion omitted for clarity of illustration of the holder portion;

FIG. 26 is a front, top and left side perspective view thereof, with the holder portion omitted for clarity of illustration of the mounting strip portion;

FIG. 27 is a front elevation view thereof;

FIG. 28 is a front elevation view thereof, with the mounting strip portion omitted for clarity of illustration of the holder portion;

FIG. 29 is a front elevation view thereof, with the holder portion omitted for clarity of illustration of the mounting strip portion;

FIG. 30 is a rear elevation view thereof;

FIG. 31 is a rear elevational view thereof, with the mounting strip portion omitted for clarity of illustration of the holder portion;

FIG. 32 is a rear elevation view thereof, with the holder portion omitted for clarity of illustration of the mounting strip portion;

FIG. 33 is a right side elevation view of the first embodiment thereof, with the right side elevations of the second and third embodiments being identical in appearance, and the left side elevations of all three embodiments being mirror images of that shown;

FIG. 34 is a right side elevation view of the first embodiment thereof, with the mounting strip portion omitted for clarity of illustration of the holder portion; the right side elevations of the second and third embodiments being identical in appearance, and the left side elevations of all three embodiments being mirror images of that shown;

FIG. 35 is a right side elevation view of the first embodiment thereof, with the holder portion omitted for clarity of illustration of the mounting strip portion; the right side elevations of the second and third embodiments being identical in appearance, and the left side elevations of all three embodiments being mirror images of that shown;

FIG. 36 is a vertical cross-sectional view of the first embodiment thereof, taken through the middle of the right compartment, with the vertical cross-sectional views of the second and third embodiments being identical in appearance;

FIG. 37 is a top plan view of the third embodiment thereof;

FIG. 38 is a top plan view thereof, with the mounting strip portion omitted for clarity of illustration of the holder portion; and,

FIG. 39 is a top plan view thereof, with the holder portion omitted for clarity of illustration of the mounting strip portion.

1 Claim, 39 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27




FIG. 28




FIG. 29




FIG. 30




FIG. 31




FIG. 32




FIG. 33




FIG. 34



FIG. 35




FIG. 36




FIG. 37




FIG. 38




FIG. 39