



US00D628610S

(12) **United States Design Patent**  
**Suzuki**

(10) **Patent No.:** **US D628,610 S**

(45) **Date of Patent:** **\*\* Dec. 7, 2010**

(54) **BINOCULARS**

(75) Inventor: **Koji Suzuki**, Yokohama (JP)

(73) Assignee: **Olympus Imaging Corp.**, Tokyo (JP)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/353,132**

(22) Filed: **Jan. 4, 2010**

(30) **Foreign Application Priority Data**

Dec. 11, 2009 (JP) ..... 2009-028939

(51) **LOC (9) Cl.** ..... **16-06**

(52) **U.S. Cl.** ..... **D16/133**

(58) **Field of Classification Search** ..... D16/130,  
D16/133; 359/408, 409, 410, 411, 412, 413,  
359/414, 415, 416, 417, 418, 419, 420, 804,  
359/808, 809, 831, 835, 425, 432, 426  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

3,484,149	A	*	12/1969	Becker et al.	.....	359/414
D223,298	S	*	4/1972	Senda et al.	.....	D16/133
3,712,704	A	*	1/1973	Sato	.....	359/416
4,325,602	A	*	4/1982	Lange	.....	359/408
4,329,013	A	*	5/1982	Hengst	.....	359/418
D307,154	S	*	4/1990	Shishikura	.....	D16/133
D367,662	S	*	3/1996	Chan	.....	D16/133
D412,177	S	*	7/1999	Fujii	.....	D16/133
D412,921	S	*	8/1999	Hayamizu	.....	D16/133
D447,160	S	*	8/2001	Kishigami et al.	.....	D16/133
D472,257	S	*	3/2003	Fujii	.....	D16/133
D473,248	S	*	4/2003	Ono	.....	D16/133
D486,507	S	*	2/2004	Fujii	.....	D16/133

D507,289	S	*	7/2005	Meinzer	.....	D16/133
D523,047	S	*	6/2006	Swift et al.	.....	D16/133
D523,454	S	*	6/2006	Fujii	.....	D16/133

\* cited by examiner

*Primary Examiner*—Paula Greene

(74) *Attorney, Agent, or Firm*—Holtz, Holtz, Goodman & Chick, PC

(57) **CLAIM**

The ornamental design for binoculars, as shown and described.

**DESCRIPTION**

FIG. 1 is a front, top and right side perspective view of binoculars showing my new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;

FIG. 4 is a top plan view thereof;

FIG. 5 is a bottom plan view thereof;

FIG. 6 is a right side elevational view thereof;

FIG. 7 is a left side elevational view thereof;

FIG. 8 is a front, top and right side perspective view showing the state in which lens barrels of the binoculars are most reduced;

FIG. 9 is a front elevational view thereof;

FIG. 10 is a rear elevational view thereof;



FIG. 11 is a top plan view thereof;

FIG. 12 is a bottom plan view thereof;


FIG. 13 is a right side elevational view thereof; and,

FIG. 14 is a left side elevational view thereof.


**1 Claim, 8 Drawing Sheets**




**FIG.1**




**FIG.2**




**FIG.3**




**FIG.4**




**FIG.5**




**FIG.6**




**FIG.7**




**FIG.8**




**FIG.9**




**FIG.10**



**FIG.11**




**FIG.12**





**FIG.13**



**FIG.14**

