



US00D628617S

(12) **United States Design Patent**  
**Waters**

(10) **Patent No.:** **US D628,617 S**  
(45) **Date of Patent:** **\*\* Dec. 7, 2010**

(54) **LIGHTED GLASSES**

(76) Inventor: **Michael Waters**, 213 W. Main St., West Dundee, IL (US) 60188

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/356,645**

(22) Filed: **Mar. 1, 2010**

(51) **LOC (9) Cl.** ..... **16-06**

(52) **U.S. Cl.** ..... **D16/309**

(58) **Field of Classification Search** ..... D16/101,  
D16/300-342; D29/109-110; D24/110.2;  
351/41, 44, 51-52, 62, 158, 92, 103-123,  
351/140, 153, 45-46; 2/426-432, 447-449,  
2/441, 434-437, 13, 15; D21/483, 659-661  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- 2,638,532 A 5/1953 Brady
- 3,060,308 A 10/1962 Fortuna
- D207,919 S 6/1967 Fai
- D215,751 S 10/1969 Castellano
- 3,634,676 A 1/1972 Castellano
- 3,647,059 A 3/1972 Humphreys
- 3,769,663 A 11/1973 Perl
- D229,975 S 1/1974 Klugmann
- 4,283,127 A 8/1981 Rosenwinkel et al.
- 4,959,760 A \* 9/1990 Wu ..... 362/105
- 5,218,385 A 6/1993 Lii
- 5,230,558 A 7/1993 Jong
- D349,123 S \* 7/1994 Cooley et al. .... D16/309
- 5,331,357 A 7/1994 Cooley et al.
- 5,386,351 A 1/1995 Tabor
- D388,113 S 12/1997 Feinbloom
- 5,722,762 A 3/1998 Soll
- 5,946,071 A \* 8/1999 Feldman ..... 351/41
- D428,431 S \* 7/2000 Jordan ..... D16/309
- D473,890 S 4/2003 Waters
- 6,612,695 B2 \* 9/2003 Waters ..... 351/158
- 6,612,696 B2 9/2003 Waters
- 6,863,416 B2 3/2005 Waters
- 7,104,670 B2 \* 9/2006 Waters ..... 362/200

- D553,177 S \* 10/2007 Chen ..... D16/326
- 7,377,664 B2 5/2008 Waters
- 7,562,979 B2 7/2009 Waters
- D600,738 S \* 9/2009 Su et al. .... D16/300
- 7,661,818 B2 2/2010 Waters

(Continued)

**FOREIGN PATENT DOCUMENTS**

WO WO 2006/124928 A1 11/2006

*Primary Examiner*—Raphael Barkai  
(74) *Attorney, Agent, or Firm*—Fitch, Even, Tabin & Flannery

(57) **CLAIM**

I claim the ornamental design for lighted glasses, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of the lighted eyeglasses according to my new design;

FIG. 2 is a front elevational view of the lighted eyeglasses of FIG. 1;


FIG. 3 is a top plan view of the lighted eyeglasses of FIG. 1;

FIG. 4 is a right side elevational view of the lighted eyeglasses of FIG. 1, the left side being a mirror image thereof;

FIG. 5 is a bottom plan view of the lighted eyeglasses of FIG. 1; and,

FIG. 6 is a rear elevational view of the lighted eyeglasses of FIG. 1.

**1 Claim, 3 Drawing Sheets**



# US D628,617 S

Page 2


---

## U.S. PATENT DOCUMENTS

D611,086 S *	3/2010	Meng-Suen .....	D16/309	2004/0096078 A1	5/2004	Lin
D617,826 S *	6/2010	Waters .....	D16/309	2006/0012974 A1	1/2006	Su
2003/0189824 A1	10/2003	Meeder et al.		2008/0130272 A1	6/2008	Waters
				2009/0213324 A1	8/2009	Jordan

\* cited by examiner

**FIG. 1**



**FIG. 2**




FIG. 3






FIG. 4



**FIG. 5**



**FIG. 6**

