

US00D628706S

(12) **United States Design Patent**
Usui et al.

(10) **Patent No.:** **US D628,706 S**
(45) **Date of Patent:** **** Dec. 7, 2010**

(54) **CHEMICAL BODY WARMER**

(75) Inventors: **Yasumasa Usui**, Tochigi (JP); **Kenichi Iwamoto**, Tochigi (JP); **Michio Aida**, Tochigi (JP); **Yumiko Mine**, Tochigi (JP); **Takashi Morito**, Tochigi (JP)

(73) Assignee: **Mycoal Co., Ltd.**, Tochigi-shi (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/362,817**

(22) Filed: **Jun. 1, 2010**

(30) **Foreign Application Priority Data**

Dec. 3, 2009 (JP) 2009-028209

(51) **LOC (9) Cl.** **24-04**

(52) **U.S. Cl.** **D24/206**

(58) **Field of Classification Search** D24/206–210,
D24/189–192, 200, 158; 602/1–7, 17–27,
602/61–66, 74; 128/95.1, 96.1, 97.1, 100.1,
128/101.1, 876; 606/204; 607/88–96, 108,
607/109, 111, 112; D2/761, 894, 627; 2/458,
2/464–467, 468, 16, 22, 44, 45; D29/101.2,
D29/101.5, 120.1, 121.1; D9/731, 761, 425
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D296,006 S *	5/1988	Asche	D24/189
D407,823 S *	4/1999	Davis et al.	D24/206
D526,720 S *	8/2006	Dodo et al.	D24/206
D526,721 S *	8/2006	Dodo et al.	D24/206
D527,829 S *	9/2006	Dodo et al.	D24/206
D582,047 S *	12/2008	Yim	D24/206
D583,479 S *	12/2008	Yim	D24/206
D587,811 S *	3/2009	Uchiyama et al.	D24/206
D596,305 S *	7/2009	Usui et al.	D24/206

D609,357 S *	2/2010	Yim	D24/206
D609,358 S *	2/2010	Yim	D24/206
D609,359 S *	2/2010	Yim	D24/206
D609,360 S *	2/2010	Yim	D24/206

* cited by examiner

Primary Examiner—David G Muller

(74) *Attorney, Agent, or Firm*—Edwards Angell Palmer & Dodge LLP

(57) **CLAIM**

The ornamental design for a chemical body warmer, as shown and described.

DESCRIPTION

This application is related to a U.S. Design Patent application Ser. No. 29/362,816 filed on even date herewith entitled “Chemical Body Warmer”; filed in the names of Yasumasa Usui, Kenichi Iwamoto, Michio Aida, Yumiko Mine and Takashi Morito.

FIG. 1 is a front elevation view of the chemical body warmer of the present invention;

FIG. 2 is a rear elevation view thereof;

FIG. 3 is an end view thereof;

FIG. 4 is a right side view thereof, the left side view being identical;

FIG. 5 is a cross-sectional view thereof along line 5—5 shown in FIG. 1;


FIG. 6 is a cross-sectional view thereof along line 6—6 shown in FIG. 1;

FIG. 7 is a rear elevation view thereof with a releasable paper in the removed state; and,

FIG. 8 is a front perspective view thereof.

The stippling shown in FIG. 7 represents adhesive surfaces.

1 Claim, 4 Drawing Sheets






Fig. 1




Fig. 2



Fig. 3



Fig. 4



Fig. 5



Fig. 6




Fig. 7




Fig. 8