



US00D628719S

(12) **United States Design Patent**  
**Wagner**

(10) **Patent No.:** **US D628,719 S**

(45) **Date of Patent:** **\*\* Dec. 7, 2010**

(54) **METAL BAND INLAY FOR TRIM STRIPS OR SEALING STRIPS**

5,305,552 A \* 4/1994 Guillon ..... 49/490.1  
D577,445 S \* 9/2008 Durrant ..... D25/164

(75) Inventor: **Joachim Wagner**, Neckarwestheim (DE)

\* cited by examiner

(73) Assignee: **BFC Buro- und Fahrzeugtechnik GmbH & Co. Prod. KG**, Remseck (Aldingen) (DE)

*Primary Examiner*—Doris Clark  
(74) *Attorney, Agent, or Firm*—Gifford, Krass, Sprinkle, Anderson & Citkowski, P.C.

(\*\*) Term: **14 Years**

(57) **CLAIM**

(21) Appl. No.: **29/323,457**

I claim the ornamental design for metal band inlay for trim strips or sealing strips, as shown and described.

(22) Filed: **Aug. 26, 2008**

**DESCRIPTION**

(30) **Foreign Application Priority Data**

Jun. 4, 2008	(EM)	.....	000961529-001
Jun. 4, 2008	(EM)	.....	000961529-002
Jun. 4, 2008	(EM)	.....	000961529-003
Jun. 4, 2008	(EM)	.....	000961529-004
Jun. 4, 2008	(EM)	.....	000961529-005
Jun. 4, 2008	(EM)	.....	000961529-006
Jun. 4, 2008	(EM)	.....	000961529-007
Jun. 4, 2008	(EM)	.....	000961529-008
Jun. 4, 2008	(EM)	.....	000961529-009
Jun. 4, 2008	(EM)	.....	000961529-010

FIG. 1 is a fragmentary perspective view showing my new design.

FIG. 2 is a fragmentary top plan view thereof.

FIG. 3 is an end view thereof, the opposite end is identical.

FIG. 4 is a side view thereof, the opposite side is identical.

FIG. 5 is a fragmented top plan view of a second embodiment.

FIG. 6 is a fragmented top plan view of a third embodiment.

FIG. 7 is a fragmented top plan view of a fourth embodiment.

FIG. 8 is a fragmented top plan view of a fifth embodiment.

FIG. 9 is a fragmented top plan view of a sixth embodiment.

FIG. 10 is a fragmented top plan view of a seventh embodiment.

FIG. 11 is a fragmented top plan view of an eighth embodiment.

FIG. 12 is a fragmented top plan view of a ninth embodiment; and,

FIG. 13 is a fragmented top plan view of a tenth embodiment.

(51) **LOC (9) Cl.** ..... **25-01**

(52) **U.S. Cl.** ..... **D25/164**

(58) **Field of Classification Search** ..... D25/164;  
428/573, 574, 134; 49/495.1, 500.1, 304,  
49/490.1

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

5,302,466 A \* 4/1994 Davis et al. .... 428/573

**1 Claim, 7 Drawing Sheets**




Fig-1





Fig-2




Fig-3




Fig-4




Fig-5




Fig-6




Fig-7




Fig-8




Fig-9




Fig-10






Fig-11




Fig-12




Fig-11




Fig-13



UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : D628,719 S  
APPLICATION NO. : 29/323457  
DATED : December 7, 2010  
INVENTOR(S) : Joachim Wagner

Page 1 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Delete the title page showing an illustrative figure, and substitute the attached title page therefor.

Delete sheet 6 of 7 in the drawings.

Signed and Sealed this  
First Day of March, 2011

A handwritten signature in black ink that reads "David J. Kappos". The signature is written in a cursive style with a large initial "D" and "K".

David J. Kappos  
*Director of the United States Patent and Trademark Office*

(12) **United States Design Patent**  
**Wagner**

(10) **Patent No.:** **US D628,719 S**  
 (45) **Date of Patent:** **\*\* Dec. 7, 2010**

(54) **METAL BAND INLAY FOR TRIM STRIPS OR SEALING STRIPS**

5,305,552 A \* 4/1994 Guillon ..... 49/490.1  
 D577,445 S \* 9/2008 Durrant ..... D25/164

(75) Inventor: **Joachim Wagner**, Neckarwestheim (DE)

\* cited by examiner

(73) Assignee: **BFC Büro- und Fahrzeugtechnik GmbH & Co. Prod. KG**, Remseck (Aldingen) (DE)

*Primary Examiner*-- Doris Clark  
 (74) *Attorney, Agent, or Firm*--Gifford, Krass, Sprinkle, Anderson & Citkowski, P.C.

(\*\*) Term: **14 Years**

(57) **CLAIM**

(21) Appl. No.: **29/323,457**

I claim the ornamental design for metal band inlay for trim strips or sealing strips, as shown and described.

(22) Filed: **Aug. 26, 2008**

**DESCRIPTION**

(30) **Foreign Application Priority Data**

Jun. 4, 2008	(EM)	000961529-001
Jun. 4, 2008	(EM)	000961529-002
Jun. 4, 2008	(EM)	000961529-003
Jun. 4, 2008	(EM)	000961529-004
Jun. 4, 2008	(EM)	000961529-005
Jun. 4, 2008	(EM)	000961529-006
Jun. 4, 2008	(EM)	000961529-007
Jun. 4, 2008	(EM)	000961529-008
Jun. 4, 2008	(EM)	000961529-009
Jun. 4, 2008	(EM)	000961529-010

FIG. 1 is a fragmentary perspective view showing my new design.

FIG. 2 is a fragmentary top plan view thereof.

FIG. 3 is an end view thereof, the opposite end is identical.

FIG. 4 is a side view thereof, the opposite side is identical.

FIG. 5 is a fragmented top plan view of a second embodiment.

FIG. 6 is a fragmented top plan view of a third embodiment.

FIG. 7 is a fragmented top plan view of a fourth embodiment.

FIG. 8 is a fragmented top plan view of a fifth embodiment.

FIG. 9 is a fragmented top plan view of a sixth embodiment.

FIG. 10 is a fragmented top plan view of a seventh embodiment.

FIG. 11 is a fragmented top plan view of an eighth embodiment.

FIG. 12 is a fragmented top plan view of a ninth embodiment; and,

FIG. 13 is a fragmented top plan view of a tenth embodiment.

(51) **LOC (9) Cl.** ..... **25-01**

(52) **U.S. Cl.** ..... **D25/164**

(58) **Field of Classification Search** ..... D25/164;  
 428/573, 574, 134; 49/495.1, 500.1, 304,  
 49/490.1

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

5,302,466 A \* 4/1994 Davis et al. .... 428/573

**1 Claim, 6 Drawing Sheets**

