



US00D628767S

(12) **United States Design Patent**
Bengyak

(10) **Patent No.:** **US D628,767 S**

(45) **Date of Patent:** **** Dec. 14, 2010**

(54) **PAIR OF GLOVES**

(76) Inventor: **Christopher Edward Bengyak**, 3030
10th Ct., Vero Beach, FL (US) 32960

(**) Term: **14 Years**

(21) Appl. No.: **29/370,459**

(22) Filed: **Jul. 20, 2010**

(51) **LOC (9) Cl.** **02-06**

(52) **U.S. Cl.** **D2/619; D2/613**

(58) **Field of Classification Search** D2/610,
D2/612, 613, 614, 615, 616, 617, 618, 619,
D2/620, 621, 623; D20/33; D21/587, 588,
D21/598, 615, 609, 806, 807; D24/190;
D28/63; D29/113, 116.2, 117.1, 117.2, 122,
D29/123; D32/40, 42, 43, 41; 2/16, 159,
2/163, 162, 170, 455, 907, 917; 15/104.94,
15/107, 227; 40/586, 633; 224/219, 222,
224/237, 267

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D100,283	S *	7/1936	Ovenden	D2/615
5,117,509	A *	6/1992	Bowers	2/161.1
5,467,481	A *	11/1995	Srivastava	2/161.7
D394,288	S *	5/1998	Trahan	D21/588
5,762,335	A *	6/1998	Magruder	273/153 R
D407,898	S *	4/1999	Pulvino	D3/270
D408,193	S *	4/1999	Bear	D6/598
D417,728	S *	12/1999	Benton	D23/367
7,152,248	B2 *	12/2006	Ziemer	2/160
D575,029	S *	8/2008	Bengyak	D2/844
D575,479	S *	8/2008	Bengyak	D2/858
D575,932	S *	9/2008	Bengyak	D2/840
D588,340	S *	3/2009	Bengyak	D2/858
D621,584	S *	8/2010	Bengyak	D2/615
2008/0282439	A1 *	11/2008	Sarkies	2/20
2009/0144880	A1 *	6/2009	Desjardin et al.	2/161.1
2009/0271911	A1 *	11/2009	Mckiski	2/159

* cited by examiner

Primary Examiner—Caron Veynar
Assistant Examiner—Karen E Eldridge Powers

(57) **CLAIM**

The ornamental design for a pair of gloves, as shown and described.

DESCRIPTION

FIG. 1 is an elevational palm-side view of a left hand glove according to a first embodiment of the present invention;

FIG. 2 is an elevational backhand view of the glove of FIG. 1 according to the present invention;

FIG. 3 is an elevational thumb-side view of the glove of FIG. 1 according to the present invention;

FIG. 4 is an elevational pinkie-side view of the glove of FIG. 1 according to the present invention;

FIG. 5 is an elevational palm-side view of a right hand glove according to the present invention;

FIG. 6 is an elevational backhand view of the glove of FIG. 5 according to the present invention;

FIG. 7 is an elevational thumb-side view of a the glove of FIG. 5 according to the present invention;

FIG. 8 is an elevational pinkie-side view of the glove of FIG. 5 according to the present invention;

FIG. 9 is an elevational thumb-side view of the glove of FIGS. 1-4 and an elevational thumb-side view of the glove of FIGS. 5-8, being worn by a user according to the present invention;

FIG. 10 is an elevational pinkie-side view of the glove of FIGS. 1-4 and an elevational pinkie-side view of the glove of FIGS. 5-8, being worn by a user according to the present invention;

FIG. 11 is an elevational palm-side view of a left hand glove according to a second embodiment of the present invention;

FIG. 12 is an elevational backhand view of the glove of FIG. 11 according to the present invention;

FIG. 13 is an elevational thumb-side view of the glove of FIG. 11 according to the present invention;

FIG. 14 is an elevational pinkie-side view of the glove of FIG. 11 according to the present invention;





FIG. **15** is an elevational palm-side view of a right hand glove according to the present invention;

FIG. **16** is an elevational backhand view of the glove of FIG. **15** according to the present invention;

FIG. **17** is an elevational thumb-side view of a the glove of FIG. **15** according to the present invention;

FIG. **18** is an elevational pinkie-side view of the glove of FIG. **15** according to the present invention;

FIG. **19** is an elevational thumb-side view of the glove of FIGS. **11-14** and an elevational thumb-side view of the glove of FIGS. **15-18**, being worn by a user according to the present invention; and,

FIG. **20** is an elevational pinkie-side view of the glove of FIGS. **11-14** and an elevational pinkie-side view of the glove of FIGS. **15-18**, being worn by a user according to the present invention.

The gloves of FIGS. **1-8** and **11-18** are shown separately from one another for clarity of disclosure. The stippling in the drawings represents color contrast. The portion of a human arm shown in broken lines in FIGS. **9, 10, 19** and **20** illustrates the claimed design in use. The broken-line subject matter forms no part of the claim.

1 Claim, 10 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7



FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13



FIG. 14




FIG. 15




FIG. 16




FIG. 17



FIG. 18




FIG. 19




FIG. 20