



US00D628884S

(12) **United States Design Patent**  
**Smith**

(10) **Patent No.:** **US D628,884 S**

(45) **Date of Patent:** **\*\* Dec. 14, 2010**

(54) **BEVERAGE DISPENSING CONTAINER**

2006/0124709 A1\* 6/2006 Hengami ..... 229/110

\* cited by examiner

(75) Inventor: **Kenneth C. Smith**, Hiram, GA (US)

*Primary Examiner*—Robert M Spear

(73) Assignee: **Smurfit-Stone Container Enterprises, Inc.**, Chicago, IL (US)

*Assistant Examiner*—Karen Acker

(74) *Attorney, Agent, or Firm*—Armstrong Teasdale LLP

(\*\*) Term: **14 Years**

(57) **CLAIM**

(21) Appl. No.: **29/355,655**

The ornamental design for a beverage dispensing container, as shown and described.

(22) Filed: **Feb. 11, 2010**

**DESCRIPTION**

(51) **LOC (9) Cl.** ..... **09-03**

(52) **U.S. Cl.** ..... **D9/430**

(58) **Field of Classification Search** ..... D9/430-433,  
D9/414, 418, 420-423, 434; D11/221; 206/278,  
206/297, 299, 457, 770, 737, 810, 822; 229/100,  
229/101, 101.3, 106, 108, 108.1, 116.1, 116.3,  
229/116.5, 121, 122, 201, 213, 221, 222,  
229/227, 922, 939, 942, 87.08, 101.2, 193,  
229/195, 197

FIG. 1 is a perspective view of our new beverage dispensing container, which includes a partially or fully removable access opening on the top panel and a partially or fully removable pour spout opening on the front panel.

FIG. 2 is a front elevation of the beverage dispensing container.

FIG. 3 is a rear elevation of the beverage dispensing container.

FIG. 4 is a right side elevation of the beverage dispensing container.

FIG. 5 is a left side elevation of the beverage dispensing container.

FIG. 6 is a top plan view of the beverage dispensing container; FIG. 7 is a bottom plan view of the beverage dispensing container; and,

FIG. 8 is another perspective view of the beverage dispensing container with the access opening folded downward and the pour spout opening partially removed.

The broken lines shown in FIGS. 1, 2, 6 and 8 indicate lines of weakness at which the material of the beverage dispensing container can be separated and/or folded and form part of the claimed design.

The broken lines within the pour spout opening in FIG. 8 represent unclaimed parts of the design.

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

3,526,352	A *	9/1970	Swett	.....	229/110
4,205,775	A *	6/1980	Swan	.....	229/104
4,260,100	A *	4/1981	Hoffman	.....	229/109
4,392,607	A *	7/1983	Perkins, Jr.	.....	229/109
D328,168	S *	7/1992	Bartle	.....	D34/7
D379,759	S *	6/1997	Mulry	.....	D9/418
D411,079	S *	6/1999	Graham	.....	D7/624.2
5,938,107	A	8/1999	Anchor et al.		
6,237,838	B1 *	5/2001	Bradenbaugh	.....	229/109
6,443,357	B1	9/2002	Marbe et al.		
6,446,859	B1 *	9/2002	Holladay	.....	229/109
6,932,266	B2 *	8/2005	Jones et al.	.....	229/199
D562,129	S	2/2008	Kortsmit et al.		
D562,130	S	2/2008	Kortsmit et al.		
D583,663	S	12/2008	Martini		
D617,184	S *	6/2010	Sneva	.....	D9/430

**1 Claim, 8 Drawing Sheets**




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7






FIG. 8

