



US00D629122S

(12) **United States Design Patent**
Karpiloff

(10) **Patent No.:** **US D629,122 S**
(45) **Date of Patent:** **** Dec. 14, 2010**

(54) **TRANSPORT TUBE HOLDER ASSEMBLY
WITH INTERNAL AND EXTERNAL RIBS**

(75) Inventor: **Kenneth Karpiloff**, Mamaroneck, NY
(US)

(73) Assignee: **Becton, Dickinson and Company**,
Franklin Lakes, NJ (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/364,224**

(22) Filed: **Jun. 21, 2010**

Related U.S. Application Data

(62) Division of application No. 29/354,047, filed on Jan.
19, 2010.

(51) **LOC (9) Cl.** **24-02**

(52) **U.S. Cl.** **D24/230**

(58) **Field of Classification Search** D24/216,
D24/222, 224, 226, 227, 229, 230; 422/63–64,
422/99–104, 250, 266, 297, 330, 476; 206/563,
206/446; 211/69, 71–72, 74

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D264,810 S	*	6/1982	Voltmann		D24/226
D271,239 S	*	11/1983	Lemieux et al.		D24/230
D337,165 S	*	7/1993	Malinoff		D24/222
5,487,872 A	*	1/1996	Hafeman et al.		422/102
D414,271 S	*	9/1999	Mendoza		D24/227
D420,743 S	*	2/2000	Monks		D24/224

(Continued)

OTHER PUBLICATIONS

U.S. Appl. No. 29/364,213, filed Jun. 21, 2010, to Kenneth Karpiloff.

(Continued)

Primary Examiner—T. Chase Nelson

Assistant Examiner—Mark Cavanna

(74) *Attorney, Agent, or Firm*—The Webb Law Firm

(57) **CLAIM**

The ornamental design for a transport tube holder assembly
with internal and external ribs, as shown and described.

DESCRIPTION

FIG. 1 is a frontwardly directed perspective view of a trans-
port tube holder assembly with internal and external ribs in
accordance with an embodiment of the present invention.

FIG. 2 is a rearwardly directed perspective view of the trans-
port tube holder assembly of FIG. 1 in accordance with an
embodiment of the present invention.

FIG. 3 is a top view of the transport tube holder assembly of
FIG. 1 in accordance with an embodiment of the present
invention.

FIG. 4 is a left side view of the transport tube holder assembly
of FIG. 1 in accordance with an embodiment of the present
invention.

FIG. 5 is a right side view of the transport tube holder assem-
bly of FIG. 1 in accordance with an embodiment of the
present invention.



FIG. 6 is a bottom view of the transport tube holder assembly
of FIG. 1 in accordance with an embodiment of the present
invention.

FIG. 7 is a front view of the transport tube holder assembly of
FIG. 1 in accordance with an embodiment of the present
invention; and,

FIG. 8 is a rear view of the transport tube holder assembly of
FIG. 1 in accordance with an embodiment of the present
invention.

The broken lines shown in FIGS. 1-8 are provided for the
purpose of showing environment only, and form no portion of
the claimed design.

1 Claim, 6 Drawing Sheets



U.S. PATENT DOCUMENTS

6,019,225 A * 2/2000 Kalmakis et al. 206/563
D448,854 S * 10/2001 Kuiper et al. D24/230
D461,554 S * 8/2002 Lafond et al. D24/230
D466,219 S * 11/2002 Wynschenk et al. D24/227
6,875,405 B1 * 4/2005 Mathus et al. 422/102
D529,622 S * 10/2006 Hadjis et al. D24/229
D533,948 S * 12/2006 Schaub et al. D24/229
D556,339 S * 11/2007 Coulling et al. D24/230

D574,505 S * 8/2008 Muller-Cohn et al. D24/216
D601,714 S * 10/2009 Lohn et al. D24/226

OTHER PUBLICATIONS

U.S. Appl. No. 29/364,217, filed Jun. 21, 2010, to Kenneth Karpiloff.
U.S. Appl. No. 29/354,047, filed Jan. 19, 2010, to Kenneth Karpiloff.
U.S. Appl. No. 29/354,051, filed Jan. 19, 2010, to Kenneth Karpiloff.

* cited by examiner




FIG. 1




FIG.2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8