



US00D629286S

(12) **United States Design Patent**  
**Laskowski**

(10) **Patent No.:** **US D629,286 S**  
(45) **Date of Patent:** **\*\* Dec. 21, 2010**

(54) **CORD RETAINER**

(75) Inventor: **Michael Laskowski**, Pittsburgh, PA  
(US)

(73) Assignee: **Helen of Troy Limited**, St. Michael  
(BB)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/350,157**

(22) Filed: **Nov. 12, 2009**

(51) **LOC (9) Cl.** ..... **08-05**

(52) **U.S. Cl.** ..... **D8/356**

(58) **Field of Classification Search** ..... D8/105,  
D8/107, 333, 349, 354, 356, 358, 360, 360.1,  
D8/367, 372, 373, 382, 383, 394-396, 400;  
D13/133, 139.4, 153, 155; 24/18, 20 W,  
24/23 W, 115 R, 129 C, 130, 131 R, 197,  
24/561; 52/220.7; 174/135, 153 G, 650,  
174/656; 211/86.01, 87.01, 94.01; 242/400.1,  
242/405.1, 405.2, 600, 603; 248/65, 74.1-74.4,  
248/201, 214, 215, 229.26  
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,641,079 A \* 6/1953 Oster ..... 43/17  
2,905,743 A \* 9/1959 Sylvester ..... 174/73.1  
D205,010 S \* 6/1966 Swendsen ..... D8/367

D285,169 S \* 8/1986 Resan ..... D8/382  
D321,471 S \* 11/1991 Stumpf et al. .... D8/400  
D333,719 S \* 3/1993 Latraverse et al. .... D2/962  
D364,795 S \* 12/1995 Mekyska ..... D8/354  
D378,987 S \* 4/1997 Ross ..... D8/356  
5,660,133 A \* 8/1997 Munich ..... 114/219  
D416,778 S \* 11/1999 Pitcher et al. .... D8/330  
5,987,709 A \* 11/1999 Chou ..... 24/116 A  
D426,140 S \* 6/2000 Ming-Hsiao ..... D8/349  
D429,483 S \* 8/2000 Sweeney et al. .... D13/133  
D436,518 S \* 1/2001 Matsubara ..... D8/356  
D480,942 S \* 10/2003 Ishida et al. .... D8/356  
D514,518 S \* 2/2006 Strayer ..... D13/139.4

\* cited by examiner

*Primary Examiner*—Robert M Spear  
*Assistant Examiner*—Karen Acker


(57) **CLAIM**

The ornamental design for a cord retainer, as shown, and described.

**DESCRIPTION**

FIG. 1 is a side view of the cord retainer;  
FIG. 2 is a top view of the cord retainer;  
FIG. 3 is a front view of the cord retainer;  
FIG. 4 is a rear view of the cord retainer;  
FIG. 5 is a perspective view of the cord retainer; and,  
FIG. 6 is a perspective view of the cord retainer.

**1 Claim, 6 Drawing Sheets**






Figure 1




Figure 2




Figure 3




Figure 4




Figure 5




Figure 6