

US00D629570S

(12) **United States Design Patent**
Kanemitsu et al.

(10) **Patent No.:** **US D629,570 S**
(45) **Date of Patent:** **** Dec. 21, 2010**

(54) **BATTING GLOVE**

(75) Inventors: **Takayuki Kanemitsu**, Osaka (JP);
Tamotsu Doi, Kyoto (JP); **Chad**
Robertson, Buford, GA (US); **Junko**
Harada, Osaka (JP); **Kei Kato**, Osaka
(JP); **Kazuhiro Kume**, Wakayama (JP)

(73) Assignee: **Mizuno USA, Inc.**, Norcross, GA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/366,762**

(22) Filed: **Jul. 29, 2010**

(51) **LOC (9) Cl.** **29-02**

(52) **U.S. Cl.** **D29/115**

(58) **Field of Classification Search** D2/610,
D2/612, 613, 614, 615, 616, 617, 618, 619,
D2/620, 621, 623; D20/33; D21/807; D24/190;
D28/63; D29/133, 115, 116.2, 117.1, 117.2,
D29/122, 123; D32/40, 42, 43, 41; 2/16,
2/19, 20, 161.1, 161.2, 161.3, 161.4, 161.5,
2/161.6, 161.7, 161.8, 161, 170, 455, 907,
2/917; 15/104.94, 107, 227; 40/586, 633;
224/219, 222, 237, 267

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,664,542 A * 4/1928 Douglass 2/161.6
3,643,386 A * 2/1972 Grzyll 451/523
4,768,234 A * 9/1988 Yamamoto 2/16
5,557,803 A * 9/1996 Granich et al. 2/16
5,762,335 A * 6/1998 Magruder 273/153 R
6,016,571 A * 1/2000 Guzman et al. 2/167
6,292,949 B1 * 9/2001 Chang 2/159
6,427,246 B1 * 8/2002 Doi et al. 2/161.1
6,543,058 B2 * 4/2003 Litke 2/161.2

D475,175 S * 6/2003 Kopala D2/619
D583,104 S * 12/2008 Stewart D29/114
7,694,352 B2 * 4/2010 Kogawa et al. 2/161.1
2006/0185109 A1 * 8/2006 Barton et al. 15/227
2008/0060115 A1 * 3/2008 Morris 2/159
2009/0126074 A1 * 5/2009 Mattesky 2/161.8
2009/0288236 A1 * 11/2009 Hawkes 2/20
2010/0122396 A1 * 5/2010 Kato 2/161.1
2010/0186142 A1 * 7/2010 Kume et al. 2/161.1

FOREIGN PATENT DOCUMENTS

JP D1345370 * 11/2007

* cited by examiner

Primary Examiner—Elizabeth A Albert

Assistant Examiner—Karen E Eldridge Powers

(74) *Attorney, Agent, or Firm*—Troutman Sanders LLP;
Robert R. Elliott, Jr.

(57) **CLAIM**

The ornamental design for a batting glove, as shown and described.

DESCRIPTION

FIG. 1 illustrates an angled, palmar side view of a batting glove;

FIG. 2 illustrates a palmar side view of a batting glove;



FIG. 3 illustrates a dorsal side view of a batting glove;

FIG. 4 illustrates an angled, palmar side view of a batting glove; and,

FIG. 5 illustrates an angled, palmar side view of a batting glove.

The broken, dashed lines shown in the figures are included for the purpose of illustrating environment and do not form any part of the claimed design.

1 Claim, 3 Drawing Sheets






FIG. 2




FIG. 1




FIG. 4




FIG. 3




FIG. 5