



US00D629582S

(12) **United States Design Patent**  
**Olsson**

(10) **Patent No.:** **US D629,582 S**

(45) **Date of Patent:** **\*\* Dec. 21, 2010**

(54) **TRANSPORTATION DEVICE FOR PLANTS  
TO BE USED IN A GREENHOUSE**

(75) Inventor: **Åke Olsson**, Oppdal (NO)

(73) Assignee: **Plantagon International AB**, Stockholm (SE)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/350,988**

(22) Filed: **Nov. 25, 2009**

(30) **Foreign Application Priority Data**

May 27, 2009 (EM) ..... 001527029

(51) **LOC (9) Cl.** ..... **12-05**

(52) **U.S. Cl.** ..... **D34/29**

(58) **Field of Classification Search** ..... D34/29,  
D34/35; 198/778; 193/12; 209/434  
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 782,009 A \* 2/1905 Dodge ..... 198/778
- 2,267,970 A \* 12/1941 Boal ..... 198/778
- D213,787 S \* 4/1969 Musser ..... D34/17
- 3,904,025 A \* 9/1975 Garvey ..... 198/778
- 4,269,302 A \* 5/1981 Garvey ..... 198/607
- D292,938 S \* 11/1987 Tarlton et al. .... D34/29
- D296,489 S \* 6/1988 Nair ..... D34/28
- D313,298 S \* 12/1990 Elmas et al. .... D34/28
- D323,414 S \* 1/1992 Bruke ..... D34/29

- D326,944 S \* 6/1992 Bruke ..... D34/29
- D327,759 S \* 7/1992 Tarlton ..... D34/29
- 5,184,731 A \* 2/1993 Robertson et al. .... 209/459
- 2009/0260946 A1 \* 10/2009 Boustani ..... 193/12

\* cited by examiner

*Primary Examiner*—Cynthia E Ramirez

(74) *Attorney, Agent, or Firm*—Dickstein Shapiro LLP

(57) **CLAIM**

The ornamental design for a transportation device for plants to be used in a greenhouse, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective side view of the transportation device of the present invention;

FIG. 2 is a back view thereof;

FIG. 3 is a front view thereof;

FIG. 4 is a left view thereof;

FIG. 5 is a right view thereof;

FIG. 6 is a top view thereof;


FIG. 7 is a bottom view thereof; and,


FIG. 8 is a bottom view from the opposite side of FIG. 7.

The horizontal broken line shown cutting away the center tube is to shown indefinite length of the device.

The broken line showing of a circular element on the bottom of the device in FIGS. 1-5, 7 and 8 is included for the purpose of illustrating portions of the article and form no part of the claimed design.

**1 Claim, 8 Drawing Sheets**





*FIG. 1*







FIG. 2




*FIG. 3*




*FIG. 4*



*FIG. 5*




*FIG. 6*



*FIG. 7*





*FIG. 8*