



US00D629601S

(12) **United States Design Patent**
Stevenson

(10) **Patent No.:** **US D629,601 S**

(45) **Date of Patent:** **** Dec. 28, 2010**

(54) **SOCK**

(76) Inventor: **Jon Stevenson**, 10255 Old Placerville Rd., Suite 1-3, Sacramento, CA (US) 95827

(**) Term: **14 Years**

(21) Appl. No.: **29/355,963**

(22) Filed: **Feb. 17, 2010**

(51) **LOC (9) Cl.** **02-04**

(52) **U.S. Cl.** **D2/981**

(58) **Field of Classification Search** D2/980–994,
D2/896–897, 900, 925; 2/239–242, 409,
2/911

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

39,569	A	8/1863	Harmon	
D62,687	S *	7/1923	Baxter	D2/900
D84,513	S *	6/1931	Boten	D2/899
D131,408	S	2/1942	Harms	
2,357,980	A *	9/1944	Spiro	36/50.1
D143,701	S *	2/1946	Baudendistel	D2/900
2,490,916	A	12/1949	Miller	
D167,834	S *	9/1952	Hildebrand	D2/897
2,896,339	A	7/1959	Rabinowitz	
3,142,911	A *	8/1964	Raborg	36/97
3,146,468	A	9/1964	McDonald	
D208,850	S	10/1967	Thorneburg	
D213,001	S	12/1968	Clayton	
3,421,503	A	1/1969	Kaplan	
3,562,818	A	2/1971	Burton	
3,601,818	A	8/1971	Chesebro et al.	

3,887,946	A	6/1975	Laskin et al.	
D271,819	S *	12/1983	Rhomberg	D2/900
D294,421	S *	3/1988	Le	D2/900
D294,653	S *	3/1988	Le	D2/900
D301,934	S *	7/1989	Simonin	D2/900
D326,350	S *	5/1992	Silverman et al.	D2/900
D351,053	S *	10/1994	Kessler	D2/900
5,867,838	A	2/1999	Corry	
6,324,698	B1	12/2001	Freeman	
6,393,620	B2	5/2002	Hatch et al.	
2005/0144703	A1	7/2005	Hilbert	
2007/0260330	A1	11/2007	Mennes	

* cited by examiner

Primary Examiner—T. Chase Nelson

Assistant Examiner—Kathleen M Sims

(74) *Attorney, Agent, or Firm*—Bullivant Houser Bailey PC

(57) **CLAIM**

The ornamental design for a sock, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a sock according to my invention;

FIG. 2 is a top view thereof;

FIG. 3 is a rear view thereof;

FIG. 4 is a front elevational view thereof;


FIG. 5 is a bottom plan view thereof;

FIG. 6 is a side view thereof; and,

FIG. 7 is an opposite side view thereof.

In the drawings, solid black surface shading is used to represent color contrast.

1 Claim, 4 Drawing Sheets







FIG. 1

FIG. 2






FIG. 3

FIG. 4






FIG. 5

FIG. 6



FIG. 7

