



US00D629735S

(12) **United States Design Patent**  
**Bodin et al.**

(10) **Patent No.:** **US D629,735 S**  
(45) **Date of Patent:** **\*\* Dec. 28, 2010**

(54) **LUG MOUNT**

(75) Inventors: **Michael A. Bodin**, Champlin, MN (US);  
**Robert C. Tummel**, Blaine, MN (US);  
**Tracey Cramer-Kelly**, St. Francis, MN (US)

(73) Assignee: **Leader Motorsports Accessories, Inc.**,  
St. Francis, MN (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/349,318**

(22) Filed: **Mar. 24, 2010**

(51) **LOC (9) Cl.** ..... **12-06**

(52) **U.S. Cl.** ..... **D12/223**

(58) **Field of Classification Search** ..... D8/397,  
D8/382, 354, 349; D12/400, 114, 223; 248/300,  
248/200, 316, 317

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D242,119 S \* 11/1976 Ono ..... D8/397
- D402,620 S \* 12/1998 Seyller ..... D12/400
- D432,006 S \* 10/2000 Hussaini ..... D8/397
- D450,236 S \* 11/2001 Shinjo et al. .... D8/397
- D473,784 S \* 4/2003 Nagai et al. .... D8/397
- D513,380 S \* 1/2006 Bruni ..... D8/397
- D545,184 S \* 6/2007 Hanamura ..... D8/397
- D571,950 S \* 6/2008 Wedding et al. .... D26/120
- D606,853 S \* 12/2009 Shapiro et al. .... D8/397

\* cited by examiner

*Primary Examiner*—Holly H Baynham

*Assistant Examiner*—Sheryl Lane

(74) *Attorney, Agent, or Firm*—Kinney & Lange, P.A.

(57) **CLAIM**

The ornamental design for a lug mount, as shown and described.

**DESCRIPTION**

FIG. 1 is a front elevational view of a lug mount with a lug in a first orientation;

FIG. 2 is a rear elevational view of a lug mount with a lug in a first orientation;

FIG. 3 is a top plan view of a lug mount with a lug in a first orientation;

FIG. 4 is a bottom plan view of a lug mount with a lug in a first orientation;

FIG. 5 is a left side view of a lug mount with a lug in a first orientation;

FIG. 6 is a right side view of a lug mount with a lug in a first orientation;

FIG. 7 is a front elevational view of a lug mount with a lug in a second orientation;

FIG. 8 is a rear elevational view of a lug mount with a lug in a second orientation;

FIG. 9 is a top plan view of a lug mount with a lug in a second orientation;


FIG. 10 is a bottom plan view of a lug mount with a lug in a second orientation;


FIG. 11 is a left side view of a lug mount with a lug in a second orientation; and,

FIG. 12 is a right side view of a lug mount with a lug in a second orientation.


The broken lines in FIGS. 1-12 are for environmental purposes and form no part of the claimed design.

**1 Claim, 2 Drawing Sheets**







*FIG. 1*




*FIG. 2*




*FIG. 3*




*FIG. 4*




*FIG. 5*




*FIG. 6*




*FIG. 7*




*FIG. 8*




*FIG. 9*



*FIG. 10*



*FIG. 11*



*FIG. 12*