



US00D629834S

(12) **United States Design Patent**
Rayborn, Jr.

(10) **Patent No.:** **US D629,834 S**

(45) **Date of Patent:** **** Dec. 28, 2010**

(54) **SPECTACLE LANYARD**

D616,489 S * 5/2010 Houstoun D16/339
D619,637 S * 7/2010 Vanne D16/339

(75) Inventor: **R. Eric Rayborn, Jr.**, Gautier, MS (US)

* cited by examiner

(73) Assignee: **Alureing, LLC.**, Gautier, MS (US)

Primary Examiner—Cathron C Brooks

(**) Term: **14 Years**

Assistant Examiner—Melanie Levy

(21) Appl. No.: **29/362,195**

(74) *Attorney, Agent, or Firm*—Thomas, Kayden,
Horstemeyer & Risley, LLP.

(22) Filed: **May 21, 2010**

(57) **CLAIM**

(51) **LOC (9) Cl.** **16-06**

The ornamental design for a spectacle lanyard, as shown and described.

(52) **U.S. Cl.** **D16/339; D11/79**

(58) **Field of Classification Search** D11/1,
D11/2, 3, 79–85; 63/15, 3, 1.11; D16/101,
D16/300–342; D29/109–110; D24/110.2;
351/41, 44, 51–52, 62, 158, 92, 103–123,
351/140, 153, 45–46, 43; 2/13, 15
See application file for complete search history.

DESCRIPTION

(56) **References Cited**

U.S. PATENT DOCUMENTS

D354,759	S *	1/1995	Wolff	D16/339
D354,760	S *	1/1995	Wolff	D16/339
D403,346	S *	12/1998	Roberts	D16/339
D416,038	S *	11/1999	Kalbach	D16/339
6,027,213	A *	2/2000	Ignatowski	D11/7
6,092,897	A *	7/2000	Smerdon, Jr.	351/157
6,817,468	B2 *	11/2004	Horesh	206/37
7,611,399	B2 *	11/2009	Brigham	450/36
D607,919	S *	1/2010	Williams	D16/339

FIG. 1 is a perspective view of a spectacle lanyard showing my new design;

FIG. 2 is a top plan view thereof;

FIG. 3 is a side view thereof, the opposite side of which is a mirror image;


FIG. 4 is a back view thereof; and,

FIG. 5 is a front view thereof.

The broken lines shown in the drawings represent environment and unclaimed portions of the spectacle lanyard, and form no part thereof.

The two narrow cylindrical elements are shown with a cut away portion to indicate a non-specified length.

1 Claim, 3 Drawing Sheets






FIG. 1

FIG. 2




FIG. 3



FIG. 4



FIG. 5