

US00D629945S

(12) **United States Design Patent**  
**Brossardt et al.**

(10) **Patent No.:** **US D629,945 S**

(45) **Date of Patent:** **\*\* Dec. 28, 2010**

(54) **LAMP**

(75) Inventors: **Ansgar Brossardt**, Gilching (DE); **Arno Korner**, Herrsching (DE)

(73) Assignee: **RZB Rudolf Zimmermann, Bamberg GmbH**, Bamberg (DE)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/310,723**

(22) Filed: **Sep. 5, 2008**

(30) **Foreign Application Priority Data**

Mar. 7, 2008 (DE) ..... 402008001262

(51) **LOC (9) Cl.** ..... **26-05**

(52) **U.S. Cl.** ..... **D26/61**

(58) **Field of Classification Search** ..... D26/24,  
D26/44, 45, 61-66, 72, 73, 87, 93, 104-108,  
D26/142, 39; 362/145, 147, 148, 153, 220,  
362/217.02, 269, 277, 282, 285, 287, 296.05,  
362/311.06, 372, 228, 236, 237, 249.03,  
362/249.04, 249.06, 249.07, 249.08, 249.09,  
362/249.1, 249.11

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D262,407 S \* 12/1981 Ball ..... D26/24  
D286,818 S \* 11/1986 Engel ..... D26/62  
D290,520 S \* 6/1987 Engel ..... D26/62  
D290,521 S \* 6/1987 Engel ..... D26/62  
D296,480 S \* 6/1988 Engel ..... D26/62  
D329,298 S \* 9/1992 Huang ..... D26/62  
D330,437 S \* 10/1992 Wu ..... D26/63  
D385,052 S \* 10/1997 Huang ..... D26/60  
D386,272 S \* 11/1997 Brown ..... D26/62  
D392,404 S \* 3/1998 Brown ..... D26/62

D411,024 S \* 6/1999 Schaak et al. .... D26/62  
D467,378 S \* 12/2002 Wang ..... D26/65  
D512,171 S \* 11/2005 Opolka ..... D26/62

\* cited by examiner

*Primary Examiner*—Angela J Lee

(74) *Attorney, Agent, or Firm*—Gerald T. Bodner

(57) **CLAIM**

The ornamental design for a lamp, as shown and described.

**DESCRIPTION**

FIG. 1 is a front elevational view of a first embodiment of a lamp showing our new design;

FIG. 2 is a rear elevational view thereof;

FIG. 3 is a right elevational view thereof;

FIG. 4 is a left elevational view thereof;

FIG. 5 is a top plan view thereof;

FIG. 6 is a bottom plan view thereof;

FIG. 7 is a front perspective view thereof;

FIG. 8 is a rear perspective view thereof;

FIG. 9 is a top perspective view thereof;

FIG. 10 is a front elevational view of a second embodiment of a lamp showing our new design;

FIG. 11 is a rear elevational view thereof;

FIG. 12 is a right elevational view thereof;

FIG. 13 is a left elevational view thereof;

FIG. 14 is a top plan view thereof;



FIG. 15 is a bottom plan view thereof;

FIG. 16 is a front perspective view thereof;

FIG. 17 is a rear perspective view thereof; and,

FIG. 18 is a top perspective view thereof.

**1 Claim, 18 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3





FIG. 4



**FIG. 5**




FIG. 6




FIG. 7






FIG. 8





FIG. 9



**FIG. 10**




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15






FIG. 16





FIG. 17



**FIG. 18**