



US00D630298S

(12) **United States Design Patent**
Henry

(10) **Patent No.:** **US D630,298 S**

(45) **Date of Patent:** **** Jan. 4, 2011**

(54) **ADJUSTABLE FLOW HOSE NOZZLE**

(76) Inventor: **James M. Henry**, 1915 Ridge Rd.,
McEwen, TN (US) 37101

(**) Term: **14 Years**

(21) Appl. No.: **29/349,293**

(22) Filed: **Mar. 23, 2010**

(51) **LOC (9) Cl.** **23-01**

(52) **U.S. Cl.** **D23/213**

(58) **Field of Classification Search** D23/213,
D23/223; 239/458-460

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D186,646 S	*	11/1959	Lockett	D23/229
D189,411 S	*	12/1960	Gilmour	D23/229
3,001,725 A	*	9/1961	Lockett	239/458
D403,407 S	*	12/1998	Hui-Chen	D23/213
D409,717 S	*	5/1999	Heren et al.	D23/213
D424,165 S	*	5/2000	Guo	D23/229
D565,697 S	*	4/2008	Thiel et al.	D23/213

* cited by examiner

Primary Examiner—Robin V Webster

(74) *Attorney, Agent, or Firm*—Harry I. Leon

(57) **CLAIM**

The ornamental design for an adjustable flow hose nozzle, as shown and described.

DESCRIPTION

FIG. 1 is a top right perspective view of the flow nozzle according to the present invention, the dashed lines of a hose being shown for illustrative purposes only and not forming part of the claimed design;

FIG. 2 is top perspective end view of the flow nozzle according to FIG. 1;


FIG. 3 is a bottom perspective end view of the flow nozzle according to FIG. 1;

FIG. 4 is a side elevational view of the flow nozzle according to FIG. 1;

FIG. 5 is a cross-sectional view taken along line 5—5 of FIG. 4; and,

FIG. 6 is an exploded view of the flow nozzle according to FIG. 1.

1 Claim, 2 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6