

(12) United States Design Patent

Kang et al.

(10) Patent No.:

US D630,359 S

(45) Date of Patent:

** Jan. 4, 2011

(54) LIGHTING DEVICE

(75) Inventors: **Donwoong Kang**, Camillus, NY (US);

Ronald J. Kingston, Syracuse, NY (US)

(73) Assignee: Eveready Battery Company, Inc., St.

Louis, MO (US)

(**) Term: **14 Years**

(21) Appl. No.: 29/353,970

(22) Filed: **Jan. 18, 2010**

(51)	LOC (9) Cl.	 . 26-05
(52)	U.S. Cl	 D26/61

See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

D221,894	S	*	9/1971	Rhoades D26/44
5,816,684	A	*	10/1998	Yu 362/191
D463,877	S	*	10/2002	Kung D26/38
6,669,353	B2	*	12/2003	Kung 362/191
D544,973	S	*	6/2007	Lee D26/37
D564,684	S	*	3/2008	Leung et al D26/37
7,621,653	B2	*	11/2009	Hendrie 362/231

^{*} cited by examiner

Primary Examiner—Philip S Hyder
Assistant Examiner—Linda G. Brooks

(74) Attorney, Agent, or Firm—Gregory J. Adams

(57) CLAIM

We claim the ornamental design for a lighting device, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of the lighting device attached to a stand.

FIG. 2 is a rear perspective view of the lighting device attached to a stand.

FIG. 3 is a right side view of the lighting device. The left side view is a mirror image of the right side view.

FIG. 4 is a front view of the lighting device.


FIG. 5 is a rear view of the lighting device.

FIG. 6 is a top view of the lighting device; and,

FIG. 7 is a bottom view of the lighting device.

The broken lines showing a stand in FIGS. 1 and 2 illustrate environmental structure that forms no part of the claimed design. The broken lines in FIGS. 4 and 7 illustrate portions of the lighting device that form no part of the claimed design.

1 Claim, 4 Drawing Sheets






Fig. 1






Fig. 2








Fig. 4

Fig. 5




Fig. 6




Fig. 7