



US00D630416S

(12) **United States Design Patent**
Lockhart, III

(10) **Patent No.:** **US D630,416 S**

(45) **Date of Patent:** **** Jan. 11, 2011**

(54) **ATTACHABLE SWEAT GUARD WITH A PERFORATED REMOVABLE END**

(76) Inventor: **Thomas Elias Lockhart, III**, 263 N. Degaulle St., Aurora, CO (US) 80018

(**) Term: **14 Years**

(21) Appl. No.: **29/315,751**

(22) Filed: **Jul. 21, 2009**

(51) **LOC (9) Cl.** **02-02**

(52) **U.S. Cl.** **D2/860**

(58) **Field of Classification Search** D2/860, D2/861-864, 738, 740, 742, 747, 748, 823, D2/828, 829, 857, 853, 856, 502; 2/15, 46, 2/48-52, 53, 55-56, 79, 93, 98, 102, 104, 2/129, 227, 242, 69, 2.15, 911, 267, 460, 2/455, 410; D24/189; D32/40

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,897,952	A *	2/1933	Dupont	2/53
2,336,940	A *	12/1943	Krantz	2/53
2,747,193	A *	5/1956	Pulsifer	2/56
3,346,878	A	10/1967	Morris		
3,744,056	A *	7/1973	Bond	2/54
4,485,492	A	12/1984	Sneider		
4,545,080	A *	10/1985	Gorham	2/56
4,747,162	A *	5/1988	Yanagihara	2/53
4,856,111	A	8/1989	Sholes		
5,042,088	A	8/1991	Sherrod et al.		
D371,232	S	7/1996	Fleming		
5,790,982	A *	8/1998	Boutboul et al.	2/53
D399,965	S *	10/1998	Laughlin et al.	D24/189
5,845,335	A *	12/1998	Twitty	2/267
5,864,889	A *	2/1999	Suffern	2/53

6,138,276	A *	10/2000	Asciutto et al.	2/53
6,178,557	B1	1/2001	Bel Monte		
6,269,486	B1	8/2001	Nager et al.		
6,362,391	B1	3/2002	Mizutani et al.		
6,477,715	B2	11/2002	Shin		
6,618,859	B1	9/2003	Kadymir et al.		
6,760,920	B1	7/2004	Kadymir et al.		
6,836,901	B2	1/2005	Hippensteel		
D572,436	S *	7/2008	Boateng et al.	D2/860
2006/0041993	A1	3/2006	Elea		
2006/0090239	A1	5/2006	Koppen		

* cited by examiner

Primary Examiner—Charles A Rademaker

Assistant Examiner—Wan Laymon

(74) *Attorney, Agent, or Firm*—Montgomery Patent and Design; Joseph T. Yaksich; Robert C. Montgomery

(57) **CLAIM**

The ornamental design for an attachable sweat guard with perforated removable end, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an attachable sweat guard with a perforated removable end;

FIG. 2 is a front view thereof with a rear view being a mirror image;


FIG. 3 is a left side view thereof with a right side view being a mirror image;

FIG. 4 is a top view thereof; and,

FIG. 5 is a bottom view thereof.

The curved line drawn in broken lines in FIGS. 1 and 4 represents perforations. The lined surface pattern partially shown in FIGS. 1 and 4 represents an overall pattern within the designated area.

1 Claim, 5 Drawing Sheets






Fig. 1



Fig. 2




Fig. 3




Fig. 4




Fig. 5