



US00D630593S

(12) **United States Design Patent**
Clymer et al.

(10) **Patent No.:** **US D630,593 S**

(45) **Date of Patent:** **** Jan. 11, 2011**

(54) **IN-CORD LOAD CONTROL DEVICE**

(75) Inventors: **Erica L. Clymer**, Nazareth, PA (US);
Alexandre François Ledoux, Lower
Gwynedd, PA (US); **Elliot G. Jacoby**,
Glenside, PA (US); **Noel Mayo**,
Philadelphia, PA (US)

(73) Assignee: **Lutron Electronics Co., Inc.**,
Coopersburg, PA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/343,023**

(22) Filed: **Sep. 4, 2009**

(51) **LOC (9) Cl.** **13-03**

(52) **U.S. Cl.** **D13/160; D13/162**

(58) **Field of Classification Search** D13/123,
D13/125, 158, 160, 162, 164, 171; 439/417-419,
439/395-404, 465, 695, 696, 701; D32/60,
D32/61; 338/179, 198; 174/50, 66, 65 R,
174/67, 70 R, 77 R, 77 S, 92; 200/5 R, 43.11,
200/43.14, 50.01, 50.15, 293, 293.1, 303,
200/401; 361/42, 44, 45, 50, 71, 115, 118,
361/119, 679; 335/374, 68, 132, 202; 15/230.11;
401/121, 127, 137, 146, 197; D4/122, 123;
D8/373-386

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D307,579 S * 5/1990 Layne et al. D13/137.3
D313,971 S * 1/1991 Rosenbaum et al. D13/160
D358,368 S * 5/1995 Howard et al. D13/160
5,499,930 A 3/1996 Cieri
D391,922 S * 3/1998 Aromin D13/160

(Continued)

OTHER PUBLICATIONS

Crestron Electronics, Inc., Crestron CLF-DIMRFB infiNET Lamp
Dimmer Specification Sheet, Dec. 2007, 1 sheet.

(Continued)

Primary Examiner—Daniel D Bui

Assistant Examiner—Thomas J Johannes

(74) *Attorney, Agent, or Firm*—Mark E. Rose; Philip N.
Smith; Bridget L. McDonough

(57) **CLAIM**

We claim the ornamental design for an in-cord load control
device, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an in-cord load control device
according to a first embodiment of our new design.

FIG. 2 is a front elevation view thereof.

FIG. 3 is a left side elevation view thereof.

FIG. 4 is a right side elevation view thereof.

FIG. 5 is a top plan view thereof.

FIG. 6 is a bottom plan view thereof.

FIG. 7 is a rear elevation view thereof.

FIG. 8 is a perspective view of an in-cord load control device
according to a second embodiment of our new design.



FIG. 9 is a front elevation view thereof, the rear, left side, right
side, top, and bottom views, respectively, of the second
embodiment being identical to the rear, left side, right side,
top, and bottom views of the first embodiment.

FIG. 10 is a perspective view of an in-cord load control device
according to a third embodiment of our new design; and,

FIG. 11 is a front elevation view thereof, the rear, left side,
right side, top, and bottom views, respectively, of the third
embodiment being identical to the rear, left side, right side,
top, and bottom views of the first embodiment.

The portions of the drawings appearing in broken line show
unclaimed subject matter only and do not form a part of the
claimed design.

1 Claim, 9 Drawing Sheets



US D630,593 S

Page 2

U.S. PATENT DOCUMENTS

D439,220 S * 3/2001 Mayo et al. D13/125
D484,405 S * 12/2003 Morin D9/416
D519,937 S * 5/2006 Laurent et al. D13/160
D560,618 S 1/2008 Hewson et al.
D561,115 S 2/2008 Hewson et al.
D567,185 S * 4/2008 Mayo et al. D13/158

D570,298 S 6/2008 Hewson et al.
D576,564 S 9/2008 Hewson et al.

OTHER PUBLICATIONS

Colorado VNET, LLC, Wireless Wall Plug Dimmer and Wall Plug
Switch Data Sheet, Sep. 18, 2008, 2 pages.

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11