



US00D630619S

(12) **United States Design Patent**
Li

(10) **Patent No.:** **US D630,619 S**

(45) **Date of Patent:** **** Jan. 11, 2011**

(54) **REMOTE CONTROLLER**

(75) Inventor: **Qing-Ping Li**, Shenzhen (CN)

(73) Assignee: **FIH (Hong Kong) Limited**, Kowloon (HK)

(**) Term: **14 Years**

(21) Appl. No.: **29/364,374**

(22) Filed: **Jun. 23, 2010**

(51) **LOC (9) Cl.** **14-03**

(52) **U.S. Cl.** **D14/218**

(58) **Field of Classification Search** D14/174,
D14/137-139, 151, 217, 218, 191-193, 167,
D14/299, 168, 247, 455, 456; D13/168,
D13/162-164; D21/512-517, 566; D10/104,
D10/106; 345/169; 348/114, 734; 455/352-355,
455/151.1-151.4, 128, 347, 90.3
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | | |
|------------|---|---------|------------------|-------|---------|
| D342,259 S | * | 12/1993 | Darbee et al. | | D14/218 |
| D476,643 S | * | 7/2003 | Yamagishi | | D14/218 |
| D478,897 S | * | 8/2003 | Tsuge | | D14/218 |
| D531,136 S | * | 10/2006 | Schoenert et al. | | D13/168 |
| D551,215 S | * | 9/2007 | Lee et al. | | D14/218 |
| D561,204 S | * | 2/2008 | Toh | | D14/496 |
| D580,430 S | * | 11/2008 | Wei | | D14/341 |
| D580,916 S | * | 11/2008 | Huang | | D14/218 |
| D583,363 S | * | 12/2008 | Song et al. | | D14/218 |
| D591,272 S | * | 4/2009 | Vitito | | D14/218 |

| | | | | | |
|-----------------|---|--------|-----------------|-------|---------|
| D597,082 S | * | 7/2009 | Bang et al. | | D14/218 |
| D608,303 S | * | 1/2010 | Klausing et al. | | D13/168 |
| D609,221 S | * | 2/2010 | Kim et al. | | D14/218 |
| D617,321 S | * | 6/2010 | Aarras | | D14/248 |
| 2005/0157217 A1 | * | 7/2005 | Hendricks | | 348/734 |
| 2006/0017857 A1 | * | 1/2006 | Sata et al. | | 348/734 |

* cited by examiner

Primary Examiner—Celia A Murphy

Assistant Examiner—John Windmuller

(74) *Attorney, Agent, or Firm*—Steven M. Reiss

(57) **CLAIM**

The ornamental design for a remote controller, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a remote controller showing my new design and in a first configuration;

FIG. 2 is an other different perspective view of the new design;

FIG. 3 is a front elevational view of the new design;

FIG. 4 is a rear elevational view of the new design;

FIG. 5 is a left side elevational view of the new design;


FIG. 6 is a right side elevational view of the new design;

FIG. 7 is a top plan view of the new design; and,

FIG. 8 is a bottom plan view of the new design.

The broken lines are for illustrative purposes only and form no part of the claimed design.

1 Claim, 8 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8