



US00D630789S

(12) **United States Design Patent**
Zischke

(10) **Patent No.:** **US D630,789 S**

(45) **Date of Patent:** **** Jan. 11, 2011**

(54) **SOLAR POWERED LIGHT FIXTURE**

(75) Inventor: **Jeff Zischke**, 6400 E. Colla, Scottsdale, AZ (US) 85254

(73) Assignee: **Jeff Zischke**, Scottsdale, AZ (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/364,527**

(22) Filed: **Jun. 24, 2010**

(51) **LOC (9) Cl.** **26-05**

(52) **U.S. Cl.** **D26/68; D26/104**

(58) **Field of Classification Search** D26/67-72,
D26/74, 85, 104; 362/183, 431, 152-153.1,
362/364

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D29,368	S	*	9/1898	MacIntire	D26/24
D148,230	S	*	12/1947	Galehouse	D26/110
D153,809	S	*	5/1949	Kirk	D26/67
D179,337	S	*	12/1956	Brown	D26/68
D191,128	S	*	8/1961	Curtin et al.	D26/67
3,008,742	A	*	11/1961	Goldstein	403/104
D193,206	S	*	7/1962	Guggemos	D26/68
D199,266	S	*	9/1964	Izzi	D26/67
D199,409	S	*	10/1964	van Steenhoven	D26/67
D214,253	S	*	5/1969	Sonneman	D26/65
D220,458	S	*	4/1971	Notes	D99/32
D327,750	S	*	7/1992	Klaus	D26/68
5,649,760	A	*	7/1997	Beadle	362/270
D386,884	S	*	11/1997	Barnes	D99/32
D387,459	S	*	12/1997	Cool	D26/68
D408,573	S	*	4/1999	Kay	D26/68
D411,895	S	*	7/1999	Houston	D26/68
D436,419	S	*	1/2001	Lin	D26/104
D467,679	S	*	12/2002	Rota et al.	D26/104
D535,050	S	*	1/2007	Acerbis	D26/104
D551,790	S	*	9/2007	Richmond	D26/67
D574,539	S	*	8/2008	Sanoner	D26/67

D590,098	S	*	4/2009	Campbell	D26/104
D597,696	S	*	8/2009	Sabernig	D26/68
D599,937	S	*	9/2009	Sabernig	D26/67

* cited by examiner

Primary Examiner—Clare E Heflin

(57) **CLAIM**

The ornamental design for a solar powered light fixture, as shown and described.

DESCRIPTION

FIG. 1 is a front elevation view of the solar powered light fixture showing a first embodiment of my new design, the rear view being a mirror image thereof;

FIG. 2 is another front elevation of the design of FIG. 1 showing a first alternate edge on the translucent shade in broken lines;

FIG. 3 is another front elevation of the design of FIG. 1 showing a second alternate edge on the translucent shade in broken lines;

FIG. 4 is an exploded perspective view thereof;

FIG. 5 is an exploded perspective view of the solar powered light fixture showing a second embodiment of my new design;

FIG. 6 is front elevation of the design of FIG. 5 showing a first alternate edge on the translucent shade in broken lines;


FIG. 7 is front elevation of the design of FIG. 5, the rear view being a mirror image thereof;

FIG. 8 is a front elevation of the design of FIG. 5 showing a second alternate edge on the translucent shade in broken lines; and,

FIG. 9 is an enlarged top plan view of both embodiments thereof.

The broken lines shown on the drawings depict portions of the solar powered light fixture that form no part of the claimed design.

1 Claim, 3 Drawing Sheets






Fig. 1




Fig. 6




Fig. 7




Fig. 8




Fig. 2




Fig. 3




Fig. 9




Fig. 4




Fig. 5