



US00D630789S

(12) **United States Design Patent**  
**Zischke**

(10) **Patent No.:** **US D630,789 S**

(45) **Date of Patent:** **\*\* Jan. 11, 2011**

(54) **SOLAR POWERED LIGHT FIXTURE**

(75) Inventor: **Jeff Zischke**, 6400 E. Colla, Scottsdale, AZ (US) 85254

(73) Assignee: **Jeff Zischke**, Scottsdale, AZ (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/364,527**

(22) Filed: **Jun. 24, 2010**

(51) **LOC (9) Cl.** ..... **26-05**

(52) **U.S. Cl.** ..... **D26/68; D26/104**

(58) **Field of Classification Search** ..... D26/67-72,  
D26/74, 85, 104; 362/183, 431, 152-153.1,  
362/364

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D29,368	S	*	9/1898	MacIntire	.....	D26/24
D148,230	S	*	12/1947	Galehouse	.....	D26/110
D153,809	S	*	5/1949	Kirk	.....	D26/67
D179,337	S	*	12/1956	Brown	.....	D26/68
D191,128	S	*	8/1961	Curtin et al.	.....	D26/67
3,008,742	A	*	11/1961	Goldstein	.....	403/104
D193,206	S	*	7/1962	Guggemos	.....	D26/68
D199,266	S	*	9/1964	Izzi	.....	D26/67
D199,409	S	*	10/1964	van Steenhoven	.....	D26/67
D214,253	S	*	5/1969	Sonneman	.....	D26/65
D220,458	S	*	4/1971	Notes	.....	D99/32
D327,750	S	*	7/1992	Klaus	.....	D26/68
5,649,760	A	*	7/1997	Beadle	.....	362/270
D386,884	S	*	11/1997	Barnes	.....	D99/32
D387,459	S	*	12/1997	Cool	.....	D26/68
D408,573	S	*	4/1999	Kay	.....	D26/68
D411,895	S	*	7/1999	Houston	.....	D26/68
D436,419	S	*	1/2001	Lin	.....	D26/104
D467,679	S	*	12/2002	Rota et al.	.....	D26/104
D535,050	S	*	1/2007	Acerbis	.....	D26/104
D551,790	S	*	9/2007	Richmond	.....	D26/67
D574,539	S	*	8/2008	Sanoner	.....	D26/67

D590,098	S	*	4/2009	Campbell	.....	D26/104
D597,696	S	*	8/2009	Sabernig	.....	D26/68
D599,937	S	*	9/2009	Sabernig	.....	D26/67

\* cited by examiner

*Primary Examiner*—Clare E Heflin

(57) **CLAIM**

The ornamental design for a solar powered light fixture, as shown and described.

**DESCRIPTION**

FIG. 1 is a front elevation view of the solar powered light fixture showing a first embodiment of my new design, the rear view being a mirror image thereof;

FIG. 2 is another front elevation of the design of FIG. 1 showing a first alternate edge on the translucent shade in broken lines;

FIG. 3 is another front elevation of the design of FIG. 1 showing a second alternate edge on the translucent shade in broken lines;

FIG. 4 is an exploded perspective view thereof;

FIG. 5 is an exploded perspective view of the solar powered light fixture showing a second embodiment of my new design;

FIG. 6 is front elevation of the design of FIG. 5 showing a first alternate edge on the translucent shade in broken lines;


FIG. 7 is front elevation of the design of FIG. 5, the rear view being a mirror image thereof;


FIG. 8 is a front elevation of the design of FIG. 5 showing a second alternate edge on the translucent shade in broken lines; and,

FIG. 9 is an enlarged top plan view of both embodiments thereof.


The broken lines shown on the drawings depict portions of the solar powered light fixture that form no part of the claimed design.

**1 Claim, 3 Drawing Sheets**







*Fig. 1*




*Fig. 6*




*Fig. 7*




*Fig. 8*




*Fig. 2*




*Fig. 3*



*Fig. 9*



*Fig. 4*



*Fig. 5*