



US00D631172S

(12) **United States Design Patent**
Pagryzinski et al.

(10) **Patent No.:** **US D631,172 S**
(45) **Date of Patent:** **** Jan. 18, 2011**

- (54) **WINDOW FRAME FOR A DOOR**
- (75) Inventors: **William V. Pagryzinski**, Leo, IN (US);
Robert Carnick, Toledo, OH (US);
Roswitha M. Jordan, Holland, OH (US)
- (73) Assignee: **Therma-Tru Corp.**, Maumee, OH (US)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/340,465**
- (22) Filed: **Jul. 20, 2009**

- 4,950,344 A 8/1990 Glover et al.
- 4,952,459 A 8/1990 Thatcher
- 4,982,547 A 1/1991 Stolle et al.
- 5,105,597 A 4/1992 Wilkening
- 5,112,175 A 5/1992 Wilkening
- 5,128,181 A 7/1992 Kunert
- 5,154,953 A 10/1992 de Moncuit et al.
- 5,189,862 A 3/1993 Lafleur
- 5,339,583 A 8/1994 Hrdlicka et al.

Related U.S. Application Data

- (62) Division of application No. 11/560,597, filed on Nov. 16, 2006, now abandoned.
- (51) **LOC (9) Cl.** **25-02**
- (52) **U.S. Cl.** **D25/60**
- (58) **Field of Classification Search** D25/60;
49/DIG. 2; 52/204.1, 205, 206, 455
See application file for complete search history.

References Cited

U.S. PATENT DOCUMENTS

- D166,207 S * 3/1952 McNally et al. D25/52
- 3,837,129 A 9/1974 Losell
- 4,021,967 A 5/1977 Mulder et al.
- 4,305,982 A 12/1981 Hirsch
- 4,502,260 A 3/1985 Machler
- 4,570,406 A 2/1986 DiFazio
- 4,628,648 A 12/1986 Winyard
- 4,651,482 A 3/1987 Borys
- 4,665,676 A 5/1987 Drzemala
- 4,831,799 A 5/1989 Glover
- 4,831,804 A 5/1989 Sayer
- 4,872,498 A 10/1989 DeBlock et al.
- 4,890,438 A 1/1990 Tosa et al.
- 4,897,975 A 2/1990 Artwick et al.
- 4,920,718 A 5/1990 Artwick et al.
- 4,947,597 A 8/1990 Simpson
- 4,947,606 A 8/1990 LaSee

(Continued)

OTHER PUBLICATIONS

Product Information brochure, Silicone Sealants, Dow Corning 995 Silicone Structural Glazing Sealant, 4 pgs., Form. No. 62-1260B-01, printed USA, © 2000-2005.

(Continued)

Primary Examiner—Doris Clark
(74) *Attorney, Agent, or Firm*—Calfee Halter & Griswold LLP

(57) **CLAIM**

We claim the ornamental design for a window frame for a door, as shown and described.


DESCRIPTION

FIG. 1 is a front elevational view of a window frame for a door showing the new design; and,

FIG. 2 is a sectional view taken along the plane indicated by lines 2—2 in FIG. 1.

The portions of the Figures shown in phantom lines are not part of the claimed design but are for illustration only.

1 Claim, 2 Drawing Sheets



US D631,172 S

Page 2

U.S. PATENT DOCUMENTS

5,431,211 A 7/1995 Guillemet
5,473,853 A 12/1995 Guillemet et al.
D372,314 S * 7/1996 Delman D25/60
5,540,019 A 7/1996 Beske et al.
5,555,684 A 9/1996 Galowitz et al.
5,603,585 A 2/1997 Bruchu et al.
5,636,484 A 6/1997 DeBlock
5,644,881 A 7/1997 Neilly
5,647,172 A * 7/1997 Rokicki 49/504
5,657,579 A 8/1997 Bruchu et al.
5,666,773 A 9/1997 Librande et al.
5,687,533 A 11/1997 Bruchu
5,765,325 A 6/1998 DeBlock
5,787,657 A 8/1998 Librande et al.
5,802,783 A 9/1998 Bayha
5,834,124 A 11/1998 Pease, III et al.
5,853,828 A 12/1998 Schimmelpenningh et al.
5,908,674 A 6/1999 Schindler et al.
5,921,037 A 7/1999 Minter
6,055,783 A 5/2000 Guhl et al.
6,108,997 A 8/2000 Blais et al.
6,260,251 B1 7/2001 Guhl
6,434,898 B1 8/2002 Ward et al.
6,463,706 B1 10/2002 Guhl et al.
6,530,183 B1 3/2003 Kuei-Yung
6,546,682 B1 4/2003 DeBlock et al.
6,546,692 B1 4/2003 Duncan et al.
6,553,735 B1 4/2003 Wang Chen
6,574,935 B2 6/2003 Wang Chen
6,609,349 B2 8/2003 Davidsaver
6,675,550 B1 1/2004 Dlubak
6,688,064 B1 2/2004 Swanick
6,715,245 B2 4/2004 Lewkowitz
6,729,095 B2 5/2004 Wang Chen

6,764,728 B2 7/2004 Emek
6,837,011 B2 1/2005 Berger, Jr.
6,889,480 B2 5/2005 Guhl et al.
6,922,946 B2 8/2005 Gerard
6,925,767 B2 8/2005 Krochmal et al.
7,086,206 B2 8/2006 Wang et al.
2001/0014250 A1 8/2001 Plummer et al.
2003/0000163 A1 1/2003 Lamanna
2005/0028465 A1 2/2005 Horsfall et al.
2005/0081981 A1 4/2005 Heikkila
2005/0091939 A1 5/2005 Hillstrom et al.
2005/0126079 A1 6/2005 Gerard
2005/0132663 A1 6/2005 Guhl et al.

OTHER PUBLICATIONS

ASTM International, Designation: E1996-04 "Standard Specification for Performance of Exterior Windows, Curtain Walls, Doors and Impact Protective Systems Impacted by Windborne Debris in Hurricanes", 7 pgs., Sep. 14, 2004.

ASTM International, Designation: E1886-04 "Standard Test Method for Performance of Exterior Windows, Curtain Walls, Doors, and Impact Protective Systems Impacted by Missile(s) and Exposed to Cyclic Pressure Differentials", 8 pgs., Sep. 14, 2004.

ASTM International Designation: E330-02 "Standard Test Method for Structural Performance of Exterior Windows, Doors, Skylights and Curtain Walls by Uniform Static Air Pressure Difference", 7 pgs., Nov. 10, 2002.

Office action from U.S. Appl. No. 11/560,597 dated May 2, 2008.

Response to Office action from U.S. Appl. No. 11/560,597 dated Sep. 8, 2008.

Office action from U.S. Appl. No. 11/560,597 dated Oct. 23, 2008.

Response to Office action from U.S. Appl. No. 11/560,597 dated Feb. 23, 2009.

Office action from U.S. Appl. No. 11/560,597 dated Mar. 19, 2009.

* cited by examiner




Fig. 1




Fig. 2