



US00D631329S

(12) **United States Design Patent**  
**Richards**

(10) **Patent No.:** **US D631,329 S**  
(45) **Date of Patent:** **\*\* Jan. 25, 2011**

(54) **ADJUSTABLE PAPER AND CABLE  
RETAINER**

(76) Inventor: **Donna Eaton Richards**, 889 Highridge  
St., Riverside, CA (US) 82506

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/362,172**

(22) Filed: **May 20, 2010**

**Related U.S. Application Data**

(63) Continuation-in-part of application No. 29/336,325,  
filed on Apr. 30, 2009.

(51) **LOC (9) Cl.** ..... **08-06**

(52) **U.S. Cl.** ..... **D8/356**

(58) **Field of Classification Search** ..... D8/105,  
D8/107, 333, 349, 354, 356, 358, 360, 360.1,  
D8/367, 372, 373, 382, 383, 394-396, 400;  
D13/133, 139.4, 153, 155; 24/18, 20 W,  
24/23 W, 115 R, 129 C, 130, 131 R, 197,  
24/561; 52/220.7; 174/72 A, 100, 135, 153 G,  
174/650, 656; 211/86.01, 87.01, 94.01;  
242/400.1, 405.1, 405.2, 600, 603; 248/65,  
248/74.1-74.4, 201, 214, 215, 229.26

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

|               |         |                 |         |
|---------------|---------|-----------------|---------|
| 546,484 A     | 9/1895  | Brown           |         |
| 902,189 A     | 10/1908 | Wheildon        |         |
| 1,945,932 A * | 2/1934  | Caley           | 132/247 |
| 2,099,881 A   | 11/1937 | Emmer           |         |
| 2,773,504 A   | 12/1956 | McGervey        |         |
| 3,205,897 A   | 9/1965  | Jamison         |         |
| 3,467,479 A   | 9/1969  | Holes et al.    |         |
| 3,501,814 A   | 3/1970  | Anderson et al. |         |
| 3,516,124 A   | 6/1970  | Merser          |         |
| 3,881,334 A   | 5/1975  | Wilson          |         |
| 3,908,909 A   | 9/1975  | Kaatz           |         |
| D252,741 S    | 8/1979  | Taylor          |         |
| D273,841 S    | 5/1984  | Chace           |         |

|                 |         |                  |          |
|-----------------|---------|------------------|----------|
| 4,492,004 A     | 1/1985  | Oetiker          |          |
| 4,572,466 A *   | 2/1986  | Yamaguchi et al. | 248/73   |
| 4,693,624 A     | 9/1987  | Moosmuller       |          |
| 4,919,373 A *   | 4/1990  | Caveney et al.   | 248/74.3 |
| 4,932,804 A     | 6/1990  | Richards         |          |
| 4,942,644 A     | 7/1990  | Rowley           |          |
| D313,547 S      | 1/1991  | Buckles          |          |
| 5,054,816 A     | 10/1991 | Rosengarten      |          |
| 5,156,644 A     | 10/1992 | Koehler et al.   |          |
| 5,172,879 A     | 12/1992 | Calmettes et al. |          |
| 5,423,624 A     | 6/1995  | Richards         |          |
| D363,877 S      | 11/1995 | Dee              |          |
| D368,652 S      | 4/1996  | Stanley          |          |
| D370,407 S      | 6/1996  | Pietrowski       |          |
| D400,686 S      | 11/1998 | Hamerman         |          |
| D424,566 S      | 5/2000  | Baker            |          |
| 6,192,554 B1    | 2/2001  | Dumcum           |          |
| 6,386,489 B1    | 5/2002  | Gretz            |          |
| 6,481,061 B1    | 11/2002 | Andre et al.     |          |
| 6,523,229 B2    | 2/2003  | Severson         |          |
| 6,747,209 B2 *  | 6/2004  | Uchida et al.    | 174/68.1 |
| 7,198,442 B2    | 4/2007  | Waldron          |          |
| 7,377,013 B2    | 5/2008  | Cheung           |          |
| 7,404,238 B2    | 7/2008  | McNeill          |          |
| 2009/0106948 A1 | 4/2009  | Lopez et al.     |          |

\* cited by examiner

*Primary Examiner*—Robert M Spear

*Assistant Examiner*—Karen Acker

(74) *Attorney, Agent, or Firm*—Kirk A. Buhler; Buhler & Associates

(57) **CLAIM**

The ornamental design for an adjustable paper and cable retainer, as shown and described.

**DESCRIPTION**

FIG. 1 is a top perspective view for an adjustable paper and cable retainer showing my new design;

FIG. 2 is an enlarged perspective detail view of the head portion thereof

FIG. 3 is an enlarged perspective detail view of the tail portion thereof;




FIG. 4 is a right detail view of the head portion where the left detail view is a mirror image thereof;

FIG. 5 is a front detail view of the head portion where the back detail view is a mirror image thereof;

FIG. 6 is a top thereof;

FIG. 7 is a right detail view of the tail portion thereof;

FIG. 8 is a front detail view of the tail portion where the back detail view is a mirror image thereof;

FIG. 9 is a bottom thereof;

FIG. 10 is a right side of a first embodiment thereof;

FIG. 11 is a front side of a first embodiment thereof;

FIG. 12 is a left side of a first embodiment thereof;

FIG. 13 is a back side of a first embodiment thereof;

FIG. 14 is a right side of a second embodiment thereof;

FIG. 15 is a front side of a second embodiment thereof;

FIG. 16 is a left side of a second embodiment thereof;

FIG. 17 is a back side of a second embodiment thereof;

FIG. 18 is a right side of a third embodiment thereof;

FIG. 19 is a front side of a third embodiment thereof;

FIG. 20 is a left side of a third embodiment thereof;

FIG. 21 is a back side of a third embodiment thereof;

FIG. 22 is a right side of a fourth embodiment thereof;

FIG. 23 is a front side of a fourth embodiment thereof;

FIG. 24 is a left side of a fourth embodiment thereof;

FIG. 25 is a back side of a fourth embodiment thereof;

FIG. 26 is a right side of a fifth embodiment thereof;

FIG. 27 is a front side of a fifth embodiment thereof;

FIG. 28 is a left side of a fifth embodiment thereof;

FIG. 29 is a back side of a fifth embodiment thereof;

FIG. 30 is a right side of a sixth embodiment thereof;




FIG. 31 is a front side of a sixth embodiment thereof;


FIG. 32 is a left side of a sixth embodiment thereof; and,

FIG. 33 is a back side of a sixth embodiment thereof.


FIGS. 1 through 9 are perspective and detail views for all embodiments. The break lines in FIGS. 2 through 5 and FIGS. 7 and 8 represent the boundary of the details shown in broken line in FIG. 1. The broken lines form no part of the claimed design.

**1 Claim, 8 Drawing Sheets**







**FIG. 4**




**FIG. 5**




**FIG. 6**




**FIG. 7**




**FIG. 8**




**FIG. 9**




**FIG. 10**




**FIG. 11**




**FIG. 12**




**FIG. 13**




**FIG. 14**



**FIG. 15**



**FIG. 16**



**FIG. 17**



FIG. 18




FIG. 19



FIG. 20




FIG. 21



FIG. 22




FIG. 23



FIG. 24




FIG. 25





**FIG. 26**



**FIG. 27**



**FIG. 28**



**FIG. 29**



**FIG. 30**



**FIG. 31**



**FIG. 32**



**FIG. 33**