



US00D631477S

(12) **United States Design Patent**  
**Cacioppo et al.**

(10) **Patent No.:** **US D631,477 S**  
(45) **Date of Patent:** **\*\* Jan. 25, 2011**

(54) **STYLUS**

(75) Inventors: **Christopher M. Cacioppo**,  
Sommerville, MA (US); **Manuel Perez**,  
Somerville, MA (US); **Hector Padilla**,  
Chelsea, MA (US); **Timothy Higgins**,  
Allston, MA (US); **Louis Frank**  
**Genatossio**, Shrewsbury, MA (US); **Rick**  
**Burnham**, Gloucester, MA (US); **Dan**  
**DeOreo**, Manchester, MA (US)

(73) Assignee: **Sanford, L.P.**, Oak Brook, IL (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/365,141**

(22) Filed: **Jul. 2, 2010**

**Related U.S. Application Data**

(62) Division of application No. 29/352,985, filed on Dec. 30, 2009, now Pat. No. Des. 623,187.

(51) **LOC (9) Cl.** ..... **14-02**

(52) **U.S. Cl.** ..... **D14/411**

(58) **Field of Classification Search** ..... D8/61;  
D14/411, 225, 228; D19/35, 36, 41-51,  
D19/54-58; 401/55, 99, 100, 104-107, 196,  
401/197, 202, 208, 209, 213, 192, 195, 243;  
708/107; 345/179, 173; 178/19.01; 700/94;  
D24/214, 215, 211

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D155,031 S \* 8/1949 Patterson ..... D9/521  
D200,732 S \* 3/1965 Fischer ..... D8/61  
D236,722 S \* 9/1975 Starrett ..... D22/117

4,633,045 A \* 12/1986 Bartlett ..... 381/357  
D303,838 S \* 10/1989 Lien-Fui ..... D24/214  
D417,206 S \* 11/1999 Hirota ..... D14/411  
D463,495 S \* 9/2002 Sasada ..... D19/66  
D472,578 S \* 4/2003 Plantz et al. .... D19/51  
D510,628 S \* 10/2005 Talbot et al. .... D24/215  
D527,050 S \* 8/2006 Hirota ..... D19/51  
D584,355 S \* 1/2009 Hidaka et al. .... D19/51  
D600,357 S \* 9/2009 Chaput ..... D24/215  
D614,622 S \* 4/2010 Nakata ..... D14/411  
D617,328 S \* 6/2010 Nakata ..... D14/411  
D619,580 S \* 7/2010 Nakayama et al. .... D14/411

(Continued)

*Primary Examiner*—Austin Murphy

(74) *Attorney, Agent, or Firm*—Marshall, Gerstein & Borun  
LLP

(57) **CLAIM**

The ornamental design for a stylus, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view showing my new design for a stylus;

FIG. 2 is a left side view of the stylus of FIG. 1;

FIG. 3 is a front view of the stylus of FIG. 1;

FIG. 4 is a right side view of the stylus of FIG. 1;


FIG. 5 is a rear view of the stylus of FIG. 1;

FIG. 6 is a bottom plan view of the stylus of FIG. 1; and,

FIG. 7 is a top plan view of the stylus of FIG. 1.

The broken lines shown in the drawings represent portions of the stylus that form no part of the claimed design.

**1 Claim, 2 Drawing Sheets**




# US D631,477 S


Page 2

---


U.S. PATENT DOCUMENTS	2006/0216103 A1*	9/2006	Bielecki et al. ....	401/108
D623,187 S *	9/2010	Cacioppo et al. ....	D14/411	
D623,225 S *	9/2010	Ryan .....	D19/48	* cited by examiner




**FIG. 1**




**FIG. 2**




**FIG. 3**




**FIG. 4**



**FIG. 5**



**FIG. 6**



**FIG. 7**