



US00D631640S

(12) **United States Design Patent**  
**van Aanholt**

(10) **Patent No.:** **US D631,640 S**  
(45) **Date of Patent:** **\*\* Feb. 1, 2011**

(54) **VISOR**

(76) Inventor: **Hans Anton van Aanholt**, Gezichtslaan  
37, 3723 GB Bilthoven (NL)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/370,165**

(22) Filed: **Jun. 10, 2010**

(30) **Foreign Application Priority Data**

Dec. 11, 2009 (EM) ..... 001646753-0001

(51) **LOC (9) Cl.** ..... **02-03**

(52) **U.S. Cl.** ..... **D2/882**

(58) **Field of Classification Search** ..... D2/865,  
D2/866, 875, 876, 877, 878, 879, 880, 881,  
D2/882, 886, 891, 893; D16/310, 311; D29/109;  
2/12, 13, 15, 171, 171.2, 171.3, 175.1, 195.1,  
2/209.12, 209.13; 351/44, 155; 356/46;  
359/410

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

1,722,120 A \* 7/1929 Wickland ..... 2/12  
D159,347 S \* 7/1950 Jonassen ..... D16/310  
2,530,881 A \* 11/1950 Houston ..... 2/12  
D167,193 S \* 7/1952 Bruce ..... D29/109  
2,634,416 A \* 4/1953 Fehrs ..... 2/12  
2,861,275 A \* 11/1958 Lougee ..... 2/12  
3,029,439 A \* 4/1962 Yeschick ..... 2/12  
3,092,838 A \* 6/1963 Vacha ..... 2/12  
3,144,658 A \* 8/1964 Byron ..... 2/12  
3,212,102 A \* 10/1965 Muller ..... 2/12  
D204,637 S \* 5/1966 Mitchell ..... D29/109  
D206,191 S \* 11/1966 Lawrence ..... D29/109  
D210,424 S \* 3/1968 Mitchell ..... D16/310

4,298,991 A \* 11/1981 Recenello ..... 2/13  
5,113,529 A \* 5/1992 Carr ..... 2/13  
D376,612 S \* 12/1996 Wang ..... D16/310  
D385,387 S \* 10/1997 Berke ..... D2/865  
D385,388 S \* 10/1997 Berke et al. .... D2/882

(Continued)

**FOREIGN PATENT DOCUMENTS**

EM 001646753-0002 \* 12/2009

(Continued)

*Primary Examiner*—Elizabeth A Albert  
*Assistant Examiner*—Karen E Eldridge Powers  
(74) *Attorney, Agent, or Firm*—Fross Zelnick Lehrman &  
Zissu, P.C.; Lawrence E. Apolzon, Esq.

(57) **CLAIM**

The ornamental design for a visor, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of a visor showing my new design;

FIG. 2 is a front view of the visor shown in FIG. 1;

FIG. 3 is a rear view of the visor shown in FIG. 1;

FIG. 4 is a top view of the visor shown in FIG. 1;


FIG. 5 is a bottom view of the visor shown in FIG. 1;

FIG. 6 is a left side view of the visor shown in FIG. 1; and,

FIG. 7 is a right side view of the visor shown in FIG. 1.

The broken lines showing of the nose piece and portions of the side arms of the visor are for illustrative purposes only and form no part of the claimed design.

**1 Claim, 7 Drawing Sheets**



# US D631,640 S

Page 2

---

## U.S. PATENT DOCUMENTS

5,877,837 A \* 3/1999 Hayes ..... 351/44  
D415,605 S \* 10/1999 Ae ..... D2/876  
D507,092 S \* 7/2005 Kim ..... D2/876  
6,990,981 B2 \* 1/2006 DuBois et al. .... 128/858  
D572,880 S \* 7/2008 Leedom ..... D2/891

2008/0283082 A1\* 11/2008 Jagemann ..... 132/275

## FOREIGN PATENT DOCUMENTS

EM 001646753-0003 \* 12/2009

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6






FIG. 7