



US00D631885S

(12) **United States Design Patent**
Maier

(10) **Patent No.:** **US D631,885 S**

(45) **Date of Patent:** **** Feb. 1, 2011**

(54) **USB TERMINATOR**

(75) Inventor: **Ferdinand Maier**, Obertrum am See
(AT)

(73) Assignee: **fm marketing GmbH**, Obertrum am See
(AT)

(**) Term: **14 Years**

(21) Appl. No.: **29/367,091**

(22) Filed: **Aug. 3, 2010**

D511,519	S	*	11/2005	Bone et al.	D14/432
D542,788	S	*	5/2007	Gutmann et al.	D14/480.5
D576,619	S	*	9/2008	Udagawa et al.	D14/358
D577,019	S	*	9/2008	Udagawa et al.	D14/358
D587,266	S	*	2/2009	Deguchi	D14/356
7,722,369	B2	*	5/2010	Bushby	439/134
D618,225	S	*	6/2010	Tong et al.	D14/240
D622,278	S	*	8/2010	Ma	D14/480.6
2005/0157462	A1	*	7/2005	Sugawara et al.	361/684
2006/0082963	A1	*	4/2006	Chen	361/684
2008/0144270	A1	*	6/2008	Dal Porto et al.	361/684
2009/0052154	A1	*	2/2009	Wilber et al.	361/818
2010/0124010	A1	*	5/2010	Shiu et al.	361/679.31
2010/0193583	A1	*	8/2010	Tartavull et al.	361/679.32

* cited by examiner

Related U.S. Application Data

(62) Division of application No. 29/340,112, filed on Jul. 14, 2009.

(51) **LOC (9) Cl.** **14-02**

(52) **U.S. Cl.** **D14/435.1**

(58) **Field of Classification Search** D14/356,
D14/411, 433, 435.1, 436, 137, 155, 167,
D14/168, 203.1–203.8, 240, 242, 299, 480.1–480.7,
D14/484.1, 140, 218, 358, 217, 238.1; D3/201,
D3/273; D13/107, 108, 149, 184, 168; 710/300,
710/301; 439/131, 135–147; 361/679.31,
361/679.33, 679.4, 752; 711/100, 115; 360/69;
379/220.01, 221.01–221.02, 25, 93.09, 93.15,
379/93.14, 156, 900; 455/550.1, 557
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D268,931	S	*	5/1983	Ellis et al.	D14/433
D269,088	S	*	5/1983	Genaro et al.	D14/137
6,804,749	B2	*	10/2004	Chien et al.	711/115
D501,485	S	*	2/2005	Lian et al.	D14/203.3

Primary Examiner—Cathron C Brooks

Assistant Examiner—Karen E Kearney

(74) *Attorney, Agent, or Firm*—Senniger Powers LLP

(57) **CLAIM**

The ornamental design for a USB terminator, as shown and described.

DESCRIPTION

FIG. 1 is a bottom, front perspective view of a USB terminator of the present invention;

FIG. 2 is a top, rear perspective view thereof;

FIG. 3 is a left side elevation view thereof;

FIG. 4 is a right side elevation view thereof;

FIG. 5 is a top plan view thereof;

FIG. 6 is a rear elevation view thereof;

FIG. 7 is a bottom plan view thereof; and,

FIG. 8 is a front elevation view thereof.

1 Claim, 3 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

