



US00D631932S

(12) **United States Design Patent**  
**Porter**

(10) **Patent No.:** **US D631,932 S**

(45) **Date of Patent:** **\*\* \*Feb. 1, 2011**

(54) **BOW STRING CAPTURE AND RELEASE DEVICE**

*Primary Examiner*—Cathron C Brooks  
*Assistant Examiner*—Melanie Levy

(76) Inventor: **Christopher C. Porter**, 2176 E. Brookport St., Covina, CA (US) 91724

(57) **CLAIM**

(\*) Notice: This patent is subject to a terminal disclaimer.

The ornamental design for a bow string capture and release device, as shown and described.

(\*\*) Term: **14 Years**

**DESCRIPTION**

(21) Appl. No.: **29/276,764**

FIG. 1 is a rear view of a bow string capture and release device showing my new design;

(22) Filed: **Feb. 4, 2007**

FIG. 2 is a right side elevation view thereof;

(51) **LOC (9) Cl.** ..... **22-01**

FIG. 3 is a front elevational view thereof;

(52) **U.S. Cl.** ..... **D22/107**

FIG. 4 is a top plan view thereof;

(58) **Field of Classification Search** ..... D22/107;  
124/35.2, 86, 88, 91; 482/124, 127  
See application file for complete search history.

FIG. 5 is a left side elevational view thereof;

FIG. 6 is a bottom plan view thereof;

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D198,166 S *	5/1964	Sorensen	.....	D22/107
3,757,763 A *	9/1973	Pinti et al.	.....	124/35.1
4,105,011 A *	8/1978	Chism	.....	124/35.2
4,132,215 A *	1/1979	Burton	.....	124/35.2
D255,824 S *	7/1980	MacWilliams et al.	.....	D22/107
D320,254 S *	9/1991	Peck	.....	D22/107
D326,135 S *	5/1992	Mortimer	.....	D22/107
D370,245 S *	5/1996	Crudele	.....	D22/107
2004/0079351 A1 *	4/2004	Summers et al.	.....	124/35.2
2006/0042612 A1 *	3/2006	Stanislowski	.....	124/35.2
2007/0181113 A1 *	8/2007	Porter	.....	124/35.2

FIG. 7 is a rear elevational view of a second embodiment of a bow string capture and release device showing my new design;

FIG. 8 is a right side elevational view of FIG. 7;

FIG. 9 is a front elevational view of FIG. 7;

FIG. 10 is a left side elevational view of FIG. 7; and;


FIG. 11 is a bottom plan view of FIG. 7.

The cross hatching shown in FIGS. 1, 3, 4, 6, 7, 9 and 11 represents circumferential knurling of the cylinder depicted in FIGS. 5 and 10.

The broken lines shown in the drawings on FIGS. 5 and 10 represent a boundary between claimed and unclaimed portions of the design and form no part thereof.

\* cited by examiner

**1 Claim, 4 Drawing Sheets**






FIG. 3




FIG. 2




FIG. 1




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8





FIG. 9



*FIG. 10*



*FIG. 11*