



US00D631974S

(12) **United States Design Patent**  
**Imboden et al.**

(10) **Patent No.:** **US D631,974 S**  
(45) **Date of Patent:** **\*\* Feb. 1, 2011**

(54) **MESSAGE DEVICE**

(75) Inventors: **Ethan F. Imboden**, San Francisco, CA (US); **Yves Behar**, San Francisco, CA (US); **Josh Morenstein**, San Francisco, CA (US); **Jeff Wyatt**, Bozeman, MT (US)

(73) Assignee: **Jimmyjane, Inc.**, San Francisco, CA (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/342,534**

(22) Filed: **Aug. 26, 2009**

(51) **LOC (9) Cl.** ..... **28-03**

(52) **U.S. Cl.** ..... **D24/215**

(58) **Field of Classification Search** ..... D24/200, D24/204, 206, 211–215, 201; 601/19, 22, 601/27, 28, 29, 30, 31, 39, 46, 56, 63, 68, 601/72, 80, 125, 135, 157, 169, DIG. 12, 601/DIG. 14, DIG. 16, DIG. 17; D6/335, D6/336; D21/685

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- D85,323 S \* 10/1931 Carder, F. .... D26/104
- D345,801 S \* 4/1994 Bosch ..... D24/200
- 5,704,902 A \* 1/1998 Vandenbelt et al. .... 601/72
- D454,959 S \* 3/2002 Harris et al. .... D24/215
- D466,217 S \* 11/2002 Harris et al. .... D24/215
- D476,087 S \* 6/2003 Dirks et al. .... D24/215

- D517,218 S \* 3/2006 Kalen ..... D24/215
- D523,562 S \* 6/2006 Telford ..... D24/215
- D539,917 S \* 4/2007 Park ..... D24/215
- D546,958 S \* 7/2007 Kim ..... D24/215
- D571,926 S \* 6/2008 Wu ..... D24/215
- D576,739 S \* 9/2008 Mock et al. .... D25/48
- D583,064 S \* 12/2008 Ferber et al. .... D24/215
- D586,469 S \* 2/2009 Henry ..... D24/200
- D597,211 S \* 7/2009 Ewing et al. .... D24/187
- D610,695 S \* 2/2010 Forte ..... D24/211
- D612,511 S \* 3/2010 Mills et al. .... D24/212

\* cited by examiner

*Primary Examiner*—Sandra Snapp

(74) *Attorney, Agent, or Firm*—Winston & Strawn LLP

(57) **CLAIM**

The ornamental design for a message device, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of a message device according to my new design;

FIG. 2 is a front view of the message device of FIG. 1;

FIG. 3 is a rear view of the message device of FIG. 1;


FIG. 4 is a side view of the message device of FIG. 1, to which an opposite side view is a mirror image thereof;

FIG. 5 is a top view of the message device of FIG. 1; and,

FIG. 6 is a bottom view of the message device of FIG. 1.

Elements shown in broken lines show environmental structures of the message device and form no part of our design.

**1 Claim, 6 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6