



US00D631988S

(12) **United States Design Patent**
Martin et al.

(10) **Patent No.:** **US D631,988 S**
(45) **Date of Patent:** **** Feb. 1, 2011**

(54) **ARCHITECTURAL PANEL WITH BISECTING YARN INTERLAYER**

D215,589 S 10/1969 Hooton
3,498,870 A * 3/1970 Fritchey 428/114
3,593,474 A * 7/1971 Neels 52/223.7

(75) Inventors: **Guillaume Martin**, Rochetoirin (FR);
Michael Damen, Rochetoirin (FR)

(Continued)

(73) Assignee: **3form, Inc.**, Salt Lake City, UT (US)

OTHER PUBLICATIONS

Lumicor, Product Catalog, 2008 (22 pages).
3FORM, Product Catalog, 2008 (33 pages).

(**) Term: **14 Years**

Primary Examiner—Doris Clark

(21) Appl. No.: **29/376,899**

(74) *Attorney, Agent, or Firm*—Workman Nydegger

(22) Filed: **Oct. 13, 2010**

(57) **CLAIM**

Related U.S. Application Data

The ornamental design for an architectural panel with bisecting yarn interlayer, as shown and described.

(63) Continuation of application No. 12/806,191, filed on May 3, 2010.

DESCRIPTION

(51) **LOC (9) Cl.** **25-01**

FIG. 1 is a front perspective view of an architectural panel with bisecting yarn interlayer;

(52) **U.S. Cl.** **D25/138; D6/332**

FIG. 2 is an enlarged front perspective view of the central area shown in FIG. 1;

(58) **Field of Classification Search** D25/111,
D25/138–145, 150–153, 156, 157, 163, 199,
D25/102–105, 110, 58; D5/20, 24, 32, 54,
D5/4, 7; 156/63; 52/81.4, 81.5, 81.6, 747.1,
52/783.11, 311.1, 313, 311.2, 316, 239, 241,
52/481.2; 428/34, 34.1–34.9, 35.7, 36.1–36.4,
428/67, 446, 542.2, 542.6, 902, 904.4, 143,
428/147, 13, 332, 335, 336, 339, 480, 483,
428/195.1, 38; D6/332

FIG. 3 is a left side sectional view taken along line 3—3 of FIG. 4;

See application file for complete search history.

FIG. 4 is a front elevation view;

(56) **References Cited**

FIG. 5 is a right side sectional view taken along line 5—5 of FIG. 4;

U.S. PATENT DOCUMENTS

D87,410 S 7/1932 Riley
1,977,265 A 10/1934 Colvin et al.
D130,369 S 11/1941 Holzhey
D180,884 S 9/1955 Pomeroy
D181,426 S * 11/1957 Murray D25/138
D183,323 S 8/1958 Pomeroy
3,159,525 A 12/1964 Finger
3,431,157 A 3/1969 Mack


FIG. 6 is a bottom sectional view taken along line 6—6 of FIG. 4;

FIG. 7 is a top sectional view taken along line 7—7 of FIG. 4; and,

FIG. 8 is a rear elevation view.

The broken lines showing environment in the drawings are included for illustrative purposes only and form no part of the claimed design. The outer broken line boundaries in Figures depicting the boundaries of the claimed design indicate that a specific length, width, and thickness form no part of the claimed design and are for illustrative purposes only.

1 Claim, 4 Drawing Sheets



US D631,988 S

Page 2

U.S. PATENT DOCUMENTS

D221,330 S *	8/1971	Ottinger et al.	D25/150	D488,565 S *	4/2004	Bresciani	D25/111
D224,149 S *	7/1972	Sahm	D25/150	D500,604 S *	1/2005	Ashby	D6/332
D224,150 S *	7/1972	Sahm	D25/150	7,008,700 B1	3/2006	Goodson et al.	
D227,754 S	7/1973	Newberry		D519,220 S	4/2006	Gulbrandsen	
D257,407 S *	10/1980	Maahsen	D25/111	D525,724 S *	7/2006	Reisman	D25/157
4,630,416 A *	12/1986	Lapins et al.	52/239	D527,191 S	8/2006	Sparkes	
D341,897 S *	11/1993	Benavent Adrian	D25/138	D531,739 S	11/2006	Folliard	
D342,163 S	12/1993	Lesner		D569,012 S	5/2008	Ellis	
D402,047 S *	12/1998	Sadovenko	D25/111	D608,021 S	1/2010	Canales	
D405,616 S *	2/1999	Hellwig et al.	D6/332	D608,025 S	1/2010	Canales	
D408,929 S *	4/1999	Fear et al.	D25/58	D608,476 S	1/2010	Canales	
D426,391 S *	6/2000	Rowan	D6/332	D608,914 S *	1/2010	Heatherly	D25/138
D427,783 S *	7/2000	Luedke	D6/332	2003/0113485 A1	6/2003	Schober	
6,322,862 B1	11/2001	Sakai		2004/0247801 A1	12/2004	Schober	
D486,922 S	2/2004	Baxter		2008/0014398 A1	1/2008	Tueshaus et al.	
				2008/0102255 A1	5/2008	Yang	

* cited by examiner




Fig. 1





Fig. 2






Fig. 8