



US00D632069S

(12) **United States Design Patent**
Thiessens

(10) **Patent No.:** **US D632,069 S**

(45) **Date of Patent:** **** Feb. 8, 2011**

(54) **CANE WITH REMOTELY-OPERATED JAW**

(75) Inventor: **Jay Thiessens**, Sparks, NV (US)

(73) Assignee: **Grapplers, Inc.**, Sparks, NV (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/365,147**

(22) Filed: **Jul. 2, 2010**

(51) **LOC (9) Cl.** **03-03**

(52) **U.S. Cl.** **D3/7**

(58) **Field of Classification Search** D3/5-17;
D12/130, 133; 135/65-73, 76-85

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,905,076	A *	4/1933	Sciver	135/66
2,346,038	A *	4/1944	Mason	294/19.1
3,093,402	A	6/1963	Sisson		
3,467,116	A	9/1969	Ringewaldt		
3,763,872	A	10/1973	Gooley		
4,044,784	A *	8/1977	Smith	135/67
4,253,479	A	3/1981	Laurent		
4,299,246	A *	11/1981	Marsh	135/66
4,811,750	A	3/1989	McAllister		
5,176,160	A	1/1993	Osborn		
5,390,687	A *	2/1995	Tsai	135/65
5,392,800	A *	2/1995	Sergi	135/65
5,433,234	A	7/1995	Lapere		
5,533,536	A *	7/1996	Hong	135/65
5,636,650	A	6/1997	Kroeze		
5,640,985	A	6/1997	Snyder		
5,795,004	A	8/1998	Zimmerman		
6,058,953	A	5/2000	Stefanelli		

6,386,216	B1	5/2002	Cubelli		
6,550,490	B1 *	4/2003	Morton et al.	135/66
6,951,224	B2 *	10/2005	Garrett	135/66
D540,534	S *	4/2007	Chan	D3/7
7,287,675	B1 *	10/2007	Sullivan et al.	223/111
D564,422	S *	3/2008	Harriss et al.	D12/133
2004/0040588	A1	3/2004	Parigian		
2004/0255995	A1 *	12/2004	Garrett	135/66
2007/0023072	A1	2/2007	Agnello		

* cited by examiner

Primary Examiner—Celia A Murphy

Assistant Examiner—John Windmuller

(74) *Attorney, Agent, or Firm*—William H. Eilberg

(57) **CLAIM**

The ornamental design for a cane with remotely-operated jaw, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the design of the present invention, the cane being shown with the jaw in the open position.

FIG. 2 is a left side view of the design of FIG. 1.

FIG. 3 is a right side view of the design of FIG. 1.

FIG. 4 is a rear view of the design of FIG. 1.


FIG. 5 is a front view of the design of FIG. 1.

FIG. 6 is a top view of the design of FIG. 1.

FIG. 7 is a bottom view of the design of FIG. 1; and,

FIG. 8 is a perspective view of the design of the present invention, the cane being shown with the jaw in the closed position.

1 Claim, 7 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG.4




FIG. 5




FIG. 6




FIG. 7




FIG.8