



US00D632106S

(12) **United States Design Patent**
Ishisako

(10) **Patent No.:** **US D632,106 S**

(45) **Date of Patent:** **** Feb. 8, 2011**

(54) **CHILD SEAT BACKREST**

D599,588 S * 9/2009 Ishisako D6/502

(75) Inventor: **Ritsuso Ishisako**, Nishinomiya (JP)

* cited by examiner

(73) Assignee: **Nihon Ikuji Co., Ltd.**, Ikeda-shi (JP)

Primary Examiner—Sandra Snapp

(**) Term: **14 Years**

(74) *Attorney, Agent, or Firm*—Alleman Hall McCoy Russell & Tuttle LLP

(21) Appl. No.: **29/359,503**

(57) **CLAIM**

(22) Filed: **Apr. 12, 2010**

The ornamental design for a child seat backrest, as shown and described.

(30) **Foreign Application Priority Data**

DESCRIPTION

Nov. 26, 2009 (JP) 2009-027526

(51) **LOC (9) Cl.** **06-01**

FIG. 1 is a front view of an embodiment of a child seat backrest according to the present invention.

(52) **U.S. Cl.** **D6/502**

FIG. 2 is a back view of the embodiment of the child seat backrest of FIG. 1.

(58) **Field of Classification Search** D6/333,
D6/335, 339, 491, 500–502; D12/129; D21/412,
D21/419; 280/30, 31; 5/94, 98.1, 99.1, 101,
5/102, 105, 655; 297/183.1, 183.2, 183.3,
297/183.4, 184.13, 184.15, 184.17, 250.1,
297/255, 256.1, 256.15, 256.16; 24/200,
24/211

FIG. 3 is a top view of the embodiment of the child seat backrest of FIG. 1.

FIG. 4 is a bottom view of the embodiment of the child seat backrest of FIG. 1.

See application file for complete search history.

FIG. 5 is a right side view of the embodiment of the child seat backrest of FIG. 1.

FIG. 6 is a left perspective view of the embodiment of the child seat backrest of FIG. 1.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D223,244	S	*	4/1972	Prashkar	D6/333
D236,287	S	*	8/1975	McNair	D24/215
3,899,209	A	*	8/1975	Schulz	297/383
D271,731	S	*	12/1983	Chamberlain et al.	D6/362
D278,668	S	*	5/1985	Simpkins	D6/335
D298,788	S	*	12/1988	Thompson	D6/502
D300,694	S	*	4/1989	Krok	D6/333
D305,458	S	*	1/1990	Wang	D24/215
D328,823	S	*	8/1992	Rogers et al.	D6/367
D332,012	S	*	12/1992	Severance	D6/379
D338,580	S	*	8/1993	Evans	D6/502
D341,735	S	*	11/1993	Hiser	D6/502
D438,717	S	*	3/2001	Carroll, III	D6/334
D477,412	S	*	7/2003	Miles	D24/200
D539,068	S	*	3/2007	Dayan	D6/601


FIG. 7 is a back perspective view of the embodiment of the child seat backrest of FIG. 1.

FIG. 8 is a left perspective view of the embodiment of the child seat backrest of FIG. 1, shown with seatbelt latches in an extended orientation.

FIG. 9 is a left side view of the embodiment of the child seat backrest of FIG. 1, shown installed in a dashed car seat with a dashed child secured therein by belts.

The dashed lines in FIG. 1 illustrate a seatbelt, and form no part of the claimed design. The dashed lines in FIG. 9 illustrate a car seat, child, child seat backrest belts, and car seatbelt, and form no part of the claimed design.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2

FIG. 3




FIG. 4





FIG. 5






FIG. 6




FIG. 7




FIG. 8




FIG. 9