



US00D632106S

(12) **United States Design Patent**  
**Ishisako**

(10) **Patent No.:** **US D632,106 S**

(45) **Date of Patent:** **\*\* Feb. 8, 2011**

(54) **CHILD SEAT BACKREST**

D599,588 S \* 9/2009 Ishisako ..... D6/502

(75) Inventor: **Ritsuso Ishisako**, Nishinomiya (JP)

\* cited by examiner

(73) Assignee: **Nihon Ikuji Co., Ltd.**, Ikeda-shi (JP)

*Primary Examiner*—Sandra Snapp

(\*\*) Term: **14 Years**

(74) *Attorney, Agent, or Firm*—Alleman Hall McCoy Russell & Tuttle LLP

(21) Appl. No.: **29/359,503**

(57) **CLAIM**

(22) Filed: **Apr. 12, 2010**

The ornamental design for a child seat backrest, as shown and described.

(30) **Foreign Application Priority Data**

Nov. 26, 2009 (JP) ..... 2009-027526

**DESCRIPTION**

(51) **LOC (9) Cl.** ..... **06-01**

FIG. 1 is a front view of an embodiment of a child seat backrest according to the present invention.

(52) **U.S. Cl.** ..... **D6/502**

FIG. 2 is a back view of the embodiment of the child seat backrest of FIG. 1.

(58) **Field of Classification Search** ..... D6/333,  
D6/335, 339, 491, 500–502; D12/129; D21/412,  
D21/419; 280/30, 31; 5/94, 98.1, 99.1, 101,  
5/102, 105, 655; 297/183.1, 183.2, 183.3,  
297/183.4, 184.13, 184.15, 184.17, 250.1,  
297/255, 256.1, 256.15, 256.16; 24/200,  
24/211

FIG. 3 is a top view of the embodiment of the child seat backrest of FIG. 1.

See application file for complete search history.

FIG. 4 is a bottom view of the embodiment of the child seat backrest of FIG. 1.

FIG. 5 is a right side view of the embodiment of the child seat backrest of FIG. 1.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D223,244 S \* 4/1972 Prashkar ..... D6/333  
D236,287 S \* 8/1975 McNair ..... D24/215  
3,899,209 A \* 8/1975 Schulz ..... 297/383  
D271,731 S \* 12/1983 Chamberlain et al. .... D6/362  
D278,668 S \* 5/1985 Simpkins ..... D6/335  
D298,788 S \* 12/1988 Thompson ..... D6/502  
D300,694 S \* 4/1989 Krok ..... D6/333  
D305,458 S \* 1/1990 Wang ..... D24/215  
D328,823 S \* 8/1992 Rogers et al. .... D6/367  
D332,012 S \* 12/1992 Severance ..... D6/379  
D338,580 S \* 8/1993 Evans ..... D6/502  
D341,735 S \* 11/1993 Hiser ..... D6/502  
D438,717 S \* 3/2001 Carroll, III ..... D6/334  
D477,412 S \* 7/2003 Miles ..... D24/200  
D539,068 S \* 3/2007 Dayan ..... D6/601

FIG. 6 is a left perspective view of the embodiment of the child seat backrest of FIG. 1.


FIG. 7 is a back perspective view of the embodiment of the child seat backrest of FIG. 1.

FIG. 8 is a left perspective view of the embodiment of the child seat backrest of FIG. 1, shown with seatbelt latches in an extended orientation.

FIG. 9 is a left side view of the embodiment of the child seat backrest of FIG. 1, shown installed in a dashed car seat with a dashed child secured therein by belts.

The dashed lines in FIG. 1 illustrate a seatbelt, and form no part of the claimed design. The dashed lines in FIG. 9 illustrate a car seat, child, child seat backrest belts, and car seatbelt, and form no part of the claimed design.

**1 Claim, 4 Drawing Sheets**






FIG. 1






FIG. 2


*FIG. 3*



*FIG. 4*



*FIG. 5*






FIG. 6




FIG. 7




FIG. 8




FIG. 9