



US00D632258S

(12) **United States Design Patent**
Sumida

(10) **Patent No.:** **US D632,258 S**
(45) **Date of Patent:** **** Feb. 8, 2011**

(54) **EXTENSION CORD WITH COILED SECTIONS**

DESCRIPTION

(76) **Inventor:** **Wesley K. Sumida**, 11321 White Rock Rd., Rancho Cordova, CA (US) 95742

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/292,619**

(22) **Filed:** **Oct. 18, 2007**

(51) **LOC (9) Cl.** **13-03**

(52) **U.S. Cl.** **D13/153**

(58) **Field of Classification Search** D13/133, D13/137.1-138.2, 139.7-139.8, 146, 147, D13/153-156, 184, 199; D8/354, 356; 174/102 D, 174/102 E, 109, 107, 135, 93, 156, 153 G, 174/68.1, 68.3, 101, 102 R, 110 R, 121 R, 174/71 R, 88 R, 95, 117 F, 117 R, 504 A; 385/100-115; D14/433; 439/350, 447, 607.1, 439/607.17, 607.24, 607.31, 607.34, 660, 439/625, 626

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D93,325 S *	9/1934	Berolzheimer	D13/145
2,081,928 A	6/1937	Hay		
2,206,703 A	7/1940	Lowe		
2,795,641 A *	6/1957	Rowell	174/135
2,880,992 A *	4/1959	Gubernick	267/74

(Continued)

Primary Examiner—Rosemary K Tarcza
(74) *Attorney, Agent, or Firm*—Heisler & Associates

(57) **CLAIM**

The ornamental design for an extension cord with coiled sections, as shown and described.

FIG. 1 is a perspective view of the extension cord with coiled sections of this invention with central portions cut away to allow larger illustration of end portions.

FIG. 2 is a top plan view of the invention.

FIG. 3 is a front elevation view of the invention.

FIG. 4 is a bottom plan view of the invention.

FIG. 5 is an inverted rear elevation view of the invention.

FIG. 6 is a left side view of the invention, the left side view being a mirror image.

FIG. 7 is a perspective view of a first alternative embodiment of that which is shown in FIG. 1.

FIG. 8 is a perspective view of a second alternative embodiment of that which is shown in FIG. 1.

FIG. 9 is a perspective view of a third alternative embodiment of that which is shown in FIG. 1.

FIG. 10 is a perspective view of a fourth alternative embodiment of that which is shown in FIG. 1.

FIG. 11 is a perspective view of a fifth alternative embodiment of that which is shown in FIG. 1.

FIG. 12A is a perspective view of the left half of a sixth alternative embodiment of that which is shown in FIG. 1.


FIG. 12B is a perspective view of the right half of a sixth alternative embodiment of that which is shown in FIG. 1.

FIG. 13A is a perspective view of the left half of that which is shown in FIG. 1, but with the extension cord elongated; and,

FIG. 13B is a perspective view of the right half of that which is shown in FIG. 1, but with the extension cord elongated.

The broken lines shown FIGS. 1-5 and 7-13B in the drawings are included for the purpose of illustrating environmental structure and form no part of the claimed design.

1 Claim, 3 Drawing Sheets



US D632,258 S

Page 2

U.S. PATENT DOCUMENTS

3,008,571	A *	11/1961	Bond	206/702	D530,671	S *	10/2006	Reed et al.	D13/147
3,038,021	A *	6/1962	Larson	174/69	7,420,120	B2 *	9/2008	Vertente et al.	174/68.1
4,667,460	A	5/1987	Kramer			D580,864	S *	11/2008	Richmond	D13/133
D306,999	S *	4/1990	Moore et al.	D13/153	7,520,782	B1 *	4/2009	Huang	439/638
5,009,225	A	4/1991	Vrabel			2002/0181729	A1	12/2002	Smith		
D330,192	S *	10/1992	Holland et al.	D13/153	2004/0164516	A1	8/2004	Baginski		
D508,242	S *	8/2005	Van Dyke	D14/206	2006/0032038	A1	2/2006	Burkle		

* cited by examiner




Fig. 1



Fig. 6




Fig. 2




Fig. 3




Fig. 4





Fig. 5






Fig. 12A

Fig. 12B




Fig. 13A

Fig. 13B