



US00D632281S

(12) **United States Design Patent**  
**Hoehn et al.**

(10) **Patent No.:** **US D632,281 S**  
(45) **Date of Patent:** **\*\* Feb. 8, 2011**

(54) **VOLUME CONTROL**

(75) Inventors: **Holger Hoehn**, New Territories (HK);  
**Qingxiang Sophia Ou**, New Territories (HK)

(73) Assignee: **Koninklijke Philips Electronics N.V.**,  
Eindhoven (NL)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/362,917**

(22) Filed: **Jun. 2, 2010**

(51) **LOC (9) Cl.** ..... **14-03**

(52) **U.S. Cl.** ..... **D14/218**

(58) **Field of Classification Search** ..... D14/174,  
D14/137–139, 151, 217, 218, 191–193, 167,  
D14/299, 168, 247, 455, 456; D13/168,  
D13/162–164; D21/512–517, 566; D10/104,  
D10/106; 345/169; 348/114, 734; 455/352–355,  
455/151.1–151.4, 128, 347, 90.3

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

|              |         |                  |       |         |
|--------------|---------|------------------|-------|---------|
| D249,091 S * | 8/1978  | Burtis           | ..... | D18/7   |
| D314,964 S * | 2/1991  | Chung            | ..... | D14/192 |
| D331,060 S * | 11/1992 | Emmons et al.    | ..... | D14/218 |
| D338,206 S * | 8/1993  | Sawaguchi et al. | ..... | D14/230 |
| D421,439 S * | 3/2000  | Giuntoli         | ..... | D14/230 |
| D427,993 S * | 7/2000  | Seal             | ..... | D14/218 |
| D440,206 S * | 4/2001  | Carroll et al.   | ..... | D13/162 |
| D454,558 S * | 3/2002  | Song             | ..... | D14/245 |

|              |         |                  |       |         |
|--------------|---------|------------------|-------|---------|
| D458,919 S * | 6/2002  | Arjomand et al.  | ..... | D14/218 |
| D496,004 S * | 9/2004  | Borsboom         | ..... | D13/168 |
| D524,295 S * | 7/2006  | Jacobson et al.  | ..... | D14/218 |
| D533,513 S * | 12/2006 | Marchetto et al. | ..... | D13/168 |
| D541,228 S * | 4/2007  | Thursfield       | ..... | D13/168 |
| D542,280 S * | 5/2007  | Taylor           | ..... | D14/218 |
| D563,330 S * | 3/2008  | Lin et al.       | ..... | D13/177 |
| D583,362 S * | 12/2008 | Hsu et al.       | ..... | D14/205 |
| D595,262 S * | 6/2009  | Nousiainen       | ..... | D14/206 |
| D595,670 S * | 7/2009  | Glassman et al.  | ..... | D13/168 |
| D596,622 S * | 7/2009  | Lee              | ..... | D14/218 |
| D601,564 S * | 10/2009 | Maeno            | ..... | D14/400 |
| D602,915 S * | 10/2009 | Song et al.      | ..... | D14/218 |
| D618,667 S * | 6/2010  | Chiu             | ..... | D14/218 |
| D619,120 S * | 7/2010  | Nikiforov et al. | ..... | D14/218 |

\* cited by examiner

*Primary Examiner*—Celia A Murphy  
*Assistant Examiner*—John Windmuller


(57) **CLAIM**


The ornamental design for a volume control, as shown.

**DESCRIPTION**

FIG. 1 is a perspective view showing my design;  
FIG. 2 is a front elevational view thereof;  
FIG. 3 is a rear elevational view thereof;  
FIG. 4 is a right side elevational view thereof;  
FIG. 5 is a left side elevational view thereof;  
FIG. 6 is a top plan view thereof; and,  
FIG. 7 is a bottom plan view thereof.

**1 Claim, 2 Drawing Sheets**





**FIG. 1**




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7