



US00D632343S

(12) **United States Design Patent**
Kindsgrab

(10) **Patent No.:** **US D632,343 S**

(45) **Date of Patent:** **** Feb. 8, 2011**

(54) **LIGHTED POM POM**

(76) **Inventor:** **Kurt Kindsgrab**, 1346 Waube La.,
Green Bay, WI (US) 54304

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/328,920**

(22) **Filed:** **Dec. 4, 2008**

(51) **LOC (9) Cl.** **21-01**

(52) **U.S. Cl.** **D21/400**

(58) **Field of Classification Search** D21/400;
D20/12, 19, 22, 27, 29, 43, 99; D10/109,
D10/114; D11/117, 121, 169, 184; D3/207-209;
D26/37-51; 428/4, 5, 6, 12, 28; 446/26,
446/219, 485, 486, 487, 490, 491; 40/586;
28/147; 362/102, 103, 109, 116, 200, 201,
362/234, 253, 570, 565, 577, 581, 249.06,
362/249.14, 249.16, 806

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,688,179	A *	10/1928	Essman	340/321
D244,236	S *	5/1977	Kyle	D29/122
4,369,215	A *	1/1983	Offen et al.	428/4
D284,487	S *	7/1986	Pratt	D21/400
4,806,396	A *	2/1989	Pratt et al.	428/4
6,012,820	A *	1/2000	Weber et al.	362/19
6,145,994	A *	11/2000	Ng	362/119
6,394,621	B1 *	5/2002	Hanewinkel, III	362/200
6,461,017	B2 *	10/2002	Selkee	362/237
7,182,483	B2	2/2007	Stern et al.	
2005/0191438	A1 *	9/2005	Tarasuk	428/7
2008/0278929	A1 *	11/2008	Lorati	362/109
2009/0016055	A1 *	1/2009	Liu et al.	362/252

2009/0311446 A1* 12/2009 DeMoor 428/4
2010/0003135 A1* 1/2010 Meyerratken 416/71

OTHER PUBLICATIONS

U.S. Toy Co, inc. Custom Imprint Merchandise Catalog 1993, p. 7:
shakers—Item No. DR88.*
Extreme Glow, Customize Your Poms Poms, website, Jan. 2009, 1
page, Extreme Glow, U.S. Accessed on Mar. 6, 2009 at webpage:
file:///Users/sjmpci/Desktop/merchant/mvc.html.

* cited by examiner

Primary Examiner—Catherine Tuttle

(74) *Attorney, Agent, or Firm*—Tracy P. Jong

(57) **CLAIM**

The ornamental design for a lighted pom pom, as shown and
described.

DESCRIPTION

FIG. 1 is a front perspective view of the lighted pom pom
showing my new design;

FIG. 2 is a rear perspective view thereof;

FIG. 3 is a bottom perspective view wherein the streamers in
a splayed position;

FIG. 4 is a bottom view opposite to FIG. 3 wherein the handle
is shown in an alternate orientation relative to FIGS. 1 and 2;



FIG. 5 is a left side perspective view wherein the streamers are
shown in an alternate gathered orientation; and

FIG. 6 is a right side perspective view thereof; and

FIG. 7 is a view similar to FIG. 1 provided for the purpose of
indicating the portion being enlarged in FIG. 8; and,

FIG. 8 is an enlarged scale view of the light detail indicated by
circle 8 in FIG. 7.

1 Claim, 2 Drawing Sheets






Fig. 1




Fig. 2



Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8