



US00D632459S

(12) **United States Design Patent**
Smith

(10) **Patent No.:** **US D632,459 S**

(45) **Date of Patent:** **** Feb. 15, 2011**

(54) **SPORTS THEMED LINGERIE**

(75) **Inventor:** **Lena Mason Smith**, Port Huron, MI
(US)

(73) **Assignee:** **Hills Legacy Services**

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/355,800**

(22) **Filed:** **Feb. 13, 2010**

Related U.S. Application Data

(66) Substitute for application No. 29/333,755, filed on
Mar. 13, 2009, now abandoned.

(51) **LOC (9) Cl.** **02-01**

(52) **U.S. Cl.** **D2/712**

(58) **Field of Classification Search** D2/712,
D2/731, 738; 2/400, 403, 405, 406, 408,
2/78.1, 78.2, 239, 227; 600/41, 38; 128/842,
128/844; D30/145; 604/385.14

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D87,449 S	7/1932	Tait
D165,872 S	2/1952	Royce
4,345,337 A	8/1982	Chung
D287,664 S	1/1987	Sherwood

(Continued)

Primary Examiner—Philip S Hyder

Assistant Examiner—Anna J Burmeister

(74) *Attorney, Agent, or Firm*—QuickPatents, Inc.; Kevin
Prince

(57) **CLAIM**

I claim the ornamental design for sports themed lingerie, as
shown and described.

DESCRIPTION

FIG. 1 is a front perspective of a sports themed lingerie,
shown in the closed condition;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a front elevational view thereof, shown in the opened
condition;

FIG. 4 is a front elevational view of a second embodiment of
a sports themed lingerie, shown in the closed condition;

FIG. 5 is a front elevational view thereof, shown in the opened
condition;

FIG. 6 is a rear elevational view thereof, shown in the closed
condition;

FIG. 7 is a rear elevational view of the second embodiment,
shown in the closed condition;

FIG. 8 is a left elevational view of FIG. 1, shown in the closed
condition, whereas the right side elevational view is a mirror
image;

FIG. 9 is a left elevational view of the second embodiment,
shown in the closed condition, whereas the right side eleva-
tional view is a mirror image;

FIG. 10 is a top plan view of FIG. 1, shown in the closed
condition;



FIG. 11 is a top plan view of the second embodiment, shown
in the closed condition;

FIG. 12 is a bottom plan view of FIG. 1, shown in the closed
condition; and,

FIG. 13 is a bottom plan view of the second embodiment,
shown in the closed condition.

The broken lines depicting the bats, flags, and text shown in
the drawings are for environmental structure only and form
no part of the claimed design.

1 Claim, 4 Drawing Sheets



US D632,459 S

Page 2

U.S. PATENT DOCUMENTS

4,637,078	A	1/1987	Southwell	D472,365	S	4/2003	Milien
4,660,551	A	4/1987	Nishimura	D484,671	S	1/2004	Swan
4,942,885	A	7/1990	Davis et al.	D485,967	S	2/2004	Williamson
D324,126	S	2/1992	Cornwall	6,849,041	B2	2/2005	Astin
D352,577	S	11/1994	Shover	D505,767	S	6/2005	Cabrera
5,596,997	A	1/1997	Abadi	D507,091	S	7/2005	Digney
D384,487	S	10/1997	Ingels	D507,856	S	8/2005	Yeramyan
D387,538	S	12/1997	Taylor	D528,739	S	9/2006	Williamson
D395,735	S	7/1998	Paramore	D552,828	S	10/2007	Moreira
D396,542	S	8/1998	Nicholson	D569,580	S	5/2008	Hodges
D419,280	S	1/2000	Hines	D581,130	S	11/2008	Noday
6,324,699	B1	12/2001	Cosmah	D582,631	S	12/2008	Lantia
6,473,908	B1	11/2002	Bontems	D589,234	S	3/2009	Blumenfeld
				7,553,303	B2	6/2009	Speak




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 11




FIG. 13




FIG. 10




FIG. 12