



US00D632559S

(12) **United States Design Patent**
Georgiadis

(10) **Patent No.:** **US D632,559 S**

(45) **Date of Patent:** **** Feb. 15, 2011**

(54) **CONTAINER WITH LID**

(75) Inventor: **Robert Guido Georgiadis**, Overath
(DE)

(73) Assignee: **Jokey Plastik Wipperfurth GmbH**,
Wipperfurth (DE)

(**) Term: **14 Years**

(21) Appl. No.: **29/304,065**

(22) Filed: **Feb. 25, 2008**

(30) **Foreign Application Priority Data**

Aug. 24, 2007 (EM) 000778444-0001

(51) **LOC (9) Cl.** **09-03**

(52) **U.S. Cl.** **D9/424**

(58) **Field of Classification Search** D9/424,
D9/414, 418, 420-423, 425, 430, 432, 435;
D7/550.1, 601, 602, 629; 206/216, 457,
206/508, 541, 557, 815, 822; 220/601, 669,
220/674, 675, 783, 789, 790, 796, 797; 229/406,
229/902, 905, 906, 939

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,448,888 A * 6/1969 Collie et al. 220/781
D232,703 S * 9/1974 Konzi D9/424
4,245,685 A 1/1981 Nemitz et al.
D285,906 S * 9/1986 Tyler D9/425
D311,140 S 10/1990 Nelson
D351,090 S * 10/1994 Narsutis D7/629
5,398,836 A * 3/1995 Luch et al. 220/276
D363,663 S * 10/1995 Plater D9/425
D383,671 S * 9/1997 Phillips D9/429
5,931,332 A 8/1999 Mygatt et al.
D427,063 S * 6/2000 May D9/425
D429,640 S * 8/2000 Nielsen et al. D9/435
6,170,696 B1 * 1/2001 Tucker et al. 220/793
D445,030 S 7/2001 Croft et al.
D445,649 S * 7/2001 Maxwell et al. D7/629

D470,768 S * 2/2003 Melhede D9/428
D502,394 S * 3/2005 Jackson et al. D9/425
D527,633 S 9/2006 Stull et al.
D583,238 S 12/2008 Chen
2005/0061821 A1 3/2005 Smith
2007/0062948 A1 3/2007 Albrecht et al.

(Continued)

FOREIGN PATENT DOCUMENTS

AT 34146 5/1988

(Continued)

OTHER PUBLICATIONS

German Search Report issued in related German Patent Application
No. 10 2007 007171.1 dated Oct. 15, 2007.

(Continued)

Primary Examiner—Prabhakar Deshmukh
Assistant Examiner—Derrick Holland
(74) *Attorney, Agent, or Firm*—Grossman Tucker Perreault &
Pfleger, PLLC


(57) **CLAIM**

The ornamental design for a container with lid, as shown and
described.

DESCRIPTION

FIG. 1 is a perspective view of a container with lid showing
my new design;
FIG. 2 is a top plan view thereof;
FIG. 3 is a front view thereof;
FIG. 4 is a back view thereof;
FIG. 5 is a side view thereof; and,
FIG. 6 is another side view thereof, opposite that of FIG. 5.
The bottom of the container with lid is flat and devoid of
surface ornamentation.

1 Claim, 6 Drawing Sheets



US D632,559 S

Page 2

U.S. PATENT DOCUMENTS

2007/0138180 A1 6/2007 Vovan
2008/0006632 A1 1/2008 Vovan

FOREIGN PATENT DOCUMENTS

DE 8908076 10/1989
DE 9104475 9/1992
DE 9413856 12/1994
DE 29610691 2/1996
DE 29805438 8/1998
DE 40110957.7 9/2002
DE 20318926 9/2004
EP 0006014 12/1979

EP 0371918 1/1990
EP 0446026 9/1991
EP 00508461 10/1992
GB 2120642 12/1983
GB 2423983 9/2006
WO 97048612 12/1997
WO 03076288 9/2003
WO 05042356 5/2005
WO 2005097608 10/2005

OTHER PUBLICATIONS

German Search Report issued in related German Patent Application
No. 20 2007 002213.1 dated Dec. 13, 2007.

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6