



US00D632576S

(12) **United States Design Patent**
Hermel

(10) **Patent No.:** **US D632,576 S**
(45) **Date of Patent:** **** Feb. 15, 2011**

(54) **BOTTLE**

(75) Inventor: **Wilfried Hermel**, Octeville sur Mer (FR)

(73) Assignee: **Sidel Participations**, Octeville sur Mer (FR)

(**) Term: **14 Years**

(21) Appl. No.: **29/350,676**

(22) Filed: **Nov. 20, 2009**

(30) **Foreign Application Priority Data**

Aug. 13, 2009 (EM) 001158828-0001

(51) **LOC (9) Cl.** **09-01**

(52) **U.S. Cl.** **D9/519; D9/520; D9/552; D9/655**

(58) **Field of Classification Search** D9/516, D9/519, 520, 549, 551, 552, 556, 558, 564, D9/565, 569, 571, 574, 575, 655, 658; 215/379, 215/381-385; 220/660, 662, 669-672, 675; D7/598, 608

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 1,383,838 A * 7/1921 Mrazek 222/78
- 1,716,525 A * 6/1929 Leong 239/327
- D81,207 S * 5/1930 Ross D9/658
- D156,957 S * 1/1950 High D9/551
- 3,038,627 A * 6/1962 Daley 220/581
- D196,144 S * 8/1963 Endress D9/658
- 3,112,837 A * 12/1963 Manoyian 215/11.1
- 3,118,573 A * 1/1964 Krogdale 222/212
- 3,480,168 A * 11/1969 Lee 215/372
- D216,459 S * 1/1970 Vitanen D9/658
- 3,598,270 A * 8/1971 Adomaitis et al. 215/375
- D280,707 S * 9/1985 Imanishi D9/519
- D283,980 S * 5/1986 Haswell D9/668
- D318,614 S * 7/1991 Sheridan D9/519
- D346,548 S * 5/1994 Maddox D9/658

- 5,427,258 A * 6/1995 Krishnakumar et al. 215/400
- D409,904 S * 5/1999 Clements et al. D9/668
- D417,392 S * 12/1999 Zhang D9/434
- D418,414 S * 1/2000 Cheng et al. D9/434
- D477,066 S * 7/2003 Lonczak et al. D9/658
- D487,697 S * 3/2004 Rosen D9/745
- D496,207 S * 9/2004 Wang D7/300.1

(Continued)

Primary Examiner—Stella M Reid

Assistant Examiner—Elizabeth J Oswecki

(74) *Attorney, Agent, or Firm*—Marshall, Gerstein & Borun LLP; Richard M. LaBarge

(57) **CLAIM**

The ornamental design for a bottle, as shown and described.

DESCRIPTION

FIG. 1 is front and bottom isometric view of a bottle showing the new design.

FIG. 2 is a front and top isometric view of the bottle.

FIG. 3 is front elevation view of the bottle.

FIG. 4 is a right-side elevation view of the bottle. The left-side elevation is identical to this view.


FIG. 5 is a rear elevation view of the bottle.

FIG. 6 is a bottom plan view of the bottle; and,

FIG. 7 is a top plan view of the bottle.

The broken line showings of threads and the parts of the bottom of the bottle is for the purposes of illustrating parts of the bottle and forms no part of the claimed design.

1 Claim, 3 Drawing Sheets



US D632,576 S

Page 2

U.S. PATENT DOCUMENTS

D509,742 S *	9/2005	Biondich et al.	D9/519	D557,606 S *	12/2007	Rashid	D9/500
D513,592 S *	1/2006	O'Day	D9/519	D585,745 S *	2/2009	Honkawa	D9/500
D531,042 S *	10/2006	Venkataraman et al.	D9/551	D594,335 S *	6/2009	Voss et al.	D9/519
D532,307 S *	11/2006	Durand	D9/519	D601,902 S *	10/2009	Bourne	D9/538
D534,803 S *	1/2007	Tsai et al.	D9/519	D602,378 S *	10/2009	Hermel	D9/740
D541,658 S *	5/2007	Tsai et al.	D9/519	D609,111 S *	2/2010	Bentley et al.	D9/668
D547,197 S *	7/2007	Hermel	D9/646	7,703,618 B2 *	4/2010	Derrien	215/375
D549,106 S *	8/2007	Lepoitevin	D9/668	D616,762 S *	6/2010	Caldwell et al.	D9/658
D554,507 S *	11/2007	Laupie	D9/519	D619,475 S *	7/2010	Caldwell	D9/658
				D623,070 S *	9/2010	Jamison et al.	D9/658

* cited by examiner

FIG. 1



FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

