

US00D632612S

(12) **United States Design Patent**
Shani et al.

(10) **Patent No.:** **US D632,612 S**
(45) **Date of Patent:** **** Feb. 15, 2011**

(54) **BELT BUCKLE**

(76) Inventors: **Tal Shani**, 13 Kaplan Street, Petach Tikva (IL) 49451; **Micky Weinstein**, 43/6 Hafetz Haim Street, Petach Tikva (IL) 49350

(**) Term: **14 Years**

(21) Appl. No.: **29/365,369**

(22) Filed: **Jul. 8, 2010**

Related U.S. Application Data

(62) Division of application No. 29/345,963, filed on Oct. 23, 2009.

(30) **Foreign Application Priority Data**

Apr. 23, 2009	(IL)	47602
Apr. 23, 2009	(IL)	47603
Apr. 23, 2009	(IL)	47604
Apr. 23, 2009	(IL)	47605
Apr. 23, 2009	(IL)	47606

(51) **LOC (9) Cl.** **02-07**

(52) **U.S. Cl.** **D11/216**

(58) **Field of Classification Search** D11/1-2, D11/200-201, 203-206, 210, 212, 214-219, D11/222, 224, 226; 24/163 R, 169-171, 24/173, 177-179, 191, 194-195, 197, 200
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,110,684 A 3/1938 Schuhmann 24/313
(Continued)

Primary Examiner—Ralf Seifert

(74) *Attorney, Agent, or Firm*—Ostrolenk Faber LLP

(57) **CLAIM**

We claim the ornamental design for a belt buckle, as shown and described herein.

DESCRIPTION

FIG. 1 is a perspective top view of a belt buckle according to an embodiment of our new design.

FIG. 2 is a top view thereof.

FIG. 3 is a perspective top view thereof.

FIG. 4 is a side view thereof.

FIG. 5 is a perspective bottom view thereof.

FIG. 6 is a side view thereof.

FIG. 7 is a side view thereof.

FIG. 8 is a side view thereof.

FIG. 9 is a top view thereof.

FIG. 10 is a perspective bottom view thereof.

FIG. 11 is a perspective top view thereof.

FIG. 12 is a perspective side view thereof.

FIG. 13 is a top view thereof.

FIG. 14 is a rear view thereof.

FIG. 15 is a side view thereof.

FIG. 16 is a bottom view thereof.

FIG. 17 is a perspective bottom view thereof.

FIG. 18 is a front view thereof.

FIG. 19 is a perspective top view thereof.

FIG. 20 is a side view thereof.

FIG. 21 is a perspective top view thereof.

FIG. 22 is a side view thereof.

FIG. 23 is a perspective bottom view thereof.

FIG. 24 is a front view thereof.

FIG. 25 is a top view thereof.

FIG. 26 is a bottom view thereof.

FIG. 27 is a perspective bottom view thereof.

FIG. 28 is a perspective top view thereof.

FIG. 29 is a perspective top view thereof.

FIG. 30 is a bottom view thereof.

FIG. 31 is a rear view thereof.

FIG. 32 is a top view thereof; and,

FIG. 33 is a side view thereof.

The portions of the drawings appearing in broken lines are for illustrative purposes only and form no part of the claimed design.

1 Claim, 4 Drawing Sheets



US D632,612 S

Page 2

U.S. PATENT DOCUMENTS

D117,747 S	11/1939	Freysinger	D11/215	D414,401 S	9/1999	Aganian	D8/383
2,531,244 A	11/1950	Andrus	24/504	D596,986 S	7/2009	Gastaldi	D11/216
D177,056 S	3/1956	Lowrie	D11/1	7,657,978 B2	2/2010	Lin	24/614
D332,585 S	1/1993	Olson	D11/201	D612,764 S *	3/2010	Mountz et al.	D11/216

* cited by examiner




Fig. 1




Fig. 2




Fig. 3



Fig. 4




Fig. 5




Fig. 6



Fig. 7



Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14



Fig. 15




Fig. 16




Fig. 17



Fig. 18




Fig. 19



Fig. 20




Fig. 21



Fig. 22




Fig. 23




Fig. 24




Fig. 25




Fig. 26




Fig. 27



Fig. 28




Fig. 29




Fig. 30




Fig. 31




Fig. 32



Fig. 33