



US00D632629S

(12) **United States Design Patent**
Bradley

(10) **Patent No.:** **US D632,629 S**
(45) **Date of Patent:** **** Feb. 15, 2011**

(54) **EXTENDIBLE HANDLED PADDLE FOR PADDLEBOARDING**

DESCRIPTION

- (75) Inventor: **Todd Bradley**, Honolulu, HI (US)
- (73) Assignee: **C4Waterman, Inc.**, Honolulu, HI (US)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/317,574**
- (22) Filed: **May 1, 2008**
- (51) **LOC (9) Cl.** **12-06**
- (52) **U.S. Cl.** **D12/215**
- (58) **Field of Classification Search** D12/215,
D12/302, 317; 114/347; 416/70 R, 71, 72,
416/74; 440/101, 102, 104, 107
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D191,890 S *	12/1961	Nichols	D12/215
D217,840 S *	6/1970	Nichols	D12/215
4,133,285 A *	1/1979	Phillips	440/101
D297,927 S *	10/1988	Keal	D12/215
D302,147 S *	7/1989	Hartt	D12/215
D364,598 S *	11/1995	Eversole	D12/215
5,820,424 A *	10/1998	Steinhour et al.	440/101
D448,337 S *	9/2001	Dale	D12/215
6,544,087 B1 *	4/2003	Peng	440/101
6,755,145 B2 *	6/2004	Bolebruch	114/347

* cited by examiner

Primary Examiner—Cynthia M Chin
(74) *Attorney, Agent, or Firm*—Leighton K. Chong

(57) **CLAIM**

The ornamental design for the extendible handled paddle for paddleboarding, as shown and described.

FIG. 1 is a front perspective view of my new design for an extendible handled paddle for paddleboarding, in which the section shown in phantom line in this and the following figures represents an optional grip sleeve that may be sleeved onto the handle of the paddle.

FIG. 2 is a front view of the paddle design of FIG. 1 with a rear telescoping handle section shown in a collapsed position;

FIG. 3 is a front view of the paddle design of FIG. 1 with a rear telescoping handle section shown in a middle position;

FIG. 4 is a front view of the paddle design of FIG. 1 with a rear telescoping handle section shown in a fully extended position;

FIG. 5 is an enlarged front perspective view of the paddle design shown in FIG. 1, with a long section of the handle omitted where indicated by sectional cutoff lines;

FIG. 6 is an enlarged rear perspective view of the paddle design shown in FIG. 1, with a long section of the handle omitted where indicated by sectional cutoff lines;

FIG. 7 is an enlarged left side view (being a mirror image of the right side view) of the paddle design shown in FIG. 1, with a long section of the handle omitted where indicated by sectional cutoff lines;


FIG. 8 is an enlarged front view of the paddle design shown in FIG. 1, with a long section of the handle omitted where indicated by sectional cutoff lines;

FIG. 9 is an enlarged rear view of the paddle design shown in FIG. 1, with a long section of the handle omitted where indicated by sectional cutoff lines; and,

FIG. 10 is a paddle end view of the paddle design shown in FIG. 1.

The long section of the handle in FIGS. 5-9 is omitted for ease and clarity of illustration.

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10