



US00D632811S

(12) **United States Design Patent**  
**Canales et al.**

(10) **Patent No.:** **US D632,811 S**  
(45) **Date of Patent:** **\*\* Feb. 15, 2011**

(54) **ARCHITECTURAL PANEL WITH WOVEN TEXTILE INTERLAYER**

*Primary Examiner*—Doris Clark  
(74) *Attorney, Agent, or Firm*—Workman Nydegger

(75) Inventors: **Jill A. Canales**, Salt Lake City, UT (US);  
**Elizabeth Egan Metcalf**, Salt Lake City, UT (US)

(57) **CLAIM**

The ornamental design for an architectural panel with woven textile interlayer, as shown and described.

(73) Assignee: **3form, Inc.**, Salt Lake City, UT (US)

(\*\*) Term: **14 Years**

**DESCRIPTION**

(21) Appl. No.: **29/377,613**

(22) Filed: **Oct. 22, 2010**

**Related U.S. Application Data**

(63) Continuation of application No. 12/806,191, filed on May 3, 2010.

FIG. 1 is a left side elevation view of an architectural panel with woven textile interlayer taken along line 1—1 of FIG. 2; FIG. 2 is a front elevation view thereof;

(51) **LOC (9) Cl.** ..... **25-01**

(52) **U.S. Cl.** ..... **D25/138; D6/332**

FIG. 3 is a right side elevation view taken along line 3—3 of FIG. 2;

(58) **Field of Classification Search** ..... D25/111,

D25/138–145, 150–153, 156, 157, 163, 199, D25/102–105, 110, 58; D5/20, 24, 32, 54, D5/4, 7; 156/63; 52/81.4, 81.5, 81.6, 747.1, 52/783.11, 311.1, 313, 311.2, 316, 239, 241, 52/481.2; 428/34, 34.1–34.9, 35.7, 36.1–36.4, 428/67, 446, 542.2, 542.6, 902, 904.4, 143, 428/147, 13, 332, 335, 336, 339, 480, 483, 428/195.1, 38; D6/332

FIG. 4 is a top plan view taken along line 4—4 of FIG. 2;

FIG. 5 is a bottom plan view taken along line 5—5 of FIG. 2; and,

See application file for complete search history.

FIG. 6 is a rear elevation view.

The claimed architectural panel with woven textile interlayer design includes outer transparent or transparent resin or glass sheets with a textile interlayer. One or more of the resin or glass sheets of the claimed architectural panel with woven textile interlayer design can optionally be colored, such as by one or more colored films bonded thereto. The textile interlayer of the claimed architectural panel with woven textile interlayer design includes fabric or material strips generally aligned in a first direction, and thread woven through the fabric or material strips in a direction generally perpendicular to the first direction. The claimed architectural panel with woven textile interlayer design can be part of a larger panel having any width, length, or shape. The claimed architectural panel with woven textile interlayer design can be used as a part of a ceiling, wall, partition, floor, or other architectural structure.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D87,410 S 7/1932 Riley  
1,977,265 A 10/1934 Colvin et al.  
D130,369 S 11/1941 Holzbery


(Continued)

**OTHER PUBLICATIONS**

Lumicor, Product Catalog, 2008 (22 pages).

(Continued)

**1 Claim, 2 Drawing Sheets**



# US D632,811 S

Page 2

## U.S. PATENT DOCUMENTS


D180,884 S 9/1955 Porneroy  
D181,426 S \* 11/1957 Murray ..... D25/138  
D183,323 S 8/1958 Pomeroy  
3,159,525 A 12/1964 Finger  
3,431,157 A 3/1969 Mack  
3,498,870 A \* 3/1970 Fritchey ..... 428/114  
3,593,474 A \* 7/1971 Neels ..... 52/223.7  
D221,330 S \* 8/1971 Ottinger et al. .... D25/150  
D224,149 S \* 7/1972 Sahm ..... D25/150  
D224,150 S \* 7/1972 Sahm ..... D25/150  
D257,407 S \* 10/1980 Maahsen ..... D25/111  
4,630,416 A \* 12/1986 Lapins et al. .... 52/239  
D320,506 S 10/1991 Nasser  
D341,897 S \* 11/1993 Benavent Adrian ..... D25/138  
D342,163 S 12/1993 Lesner  
D402,047 S \* 12/1998 Sadovenko ..... D25/111  
D405,616 S \* 2/1999 Hellwig et al. .... D6/332  
D408,929 S \* 4/1999 Fear et al. .... D25/58  
D426,391 S \* 6/2000 Rowan ..... D6/332


D427,783 S \* 7/2000 Luedke ..... D6/332  
6,322,862 B1 11/2001 Sakai  
D486,922 S 2/2004 Baxter  
D488,565 S \* 4/2004 Bresciani ..... D25/111  
D500,604 S \* 1/2005 Ashby ..... D6/332  
7,008,700 B1 3/2006 Goodson et al.  
D519,220 S 4/2006 Gulbrandsen  
D525,724 S \* 7/2006 Reisman ..... D25/157  
D569,012 S 5/2008 Ellis  
D608,021 S 1/2010 Canales  
D608,025 S 1/2010 Canales  
D608,476 S 1/2010 Canales  
D608,914 S \* 1/2010 Heatherly ..... D25/138  
2003/0113485 A1 6/2003 Schober  
2004/0247801 A1 12/2004 Schober  
2008/0014398 A1 1/2008 Tueshaus et al.

## OTHER PUBLICATIONS

3FORM, Product Catalog, 2008 (33 pages).

\* cited by examiner





*Fig. 6*

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : D632,811 S  
APPLICATION NO. : 29/377613  
DATED : February 15, 2011  
INVENTOR(S) : Canales et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Page 2, Item 56, References Cited, U.S. PATENT DOCUMENTS, Left Hand Column

Change the first reference "D180,884 S 9/1955 Porneroy" to --D180,884 S 9/1955 Pomeroy--

Signed and Sealed this  
Ninth Day of August, 2011

A handwritten signature in black ink that reads "David J. Kappos". The signature is written in a cursive style with a large initial "D" and "K".

David J. Kappos  
*Director of the United States Patent and Trademark Office*