



US00D633089S

(12) **United States Design Patent**  
**Hsu**

(10) **Patent No.:** **US D633,089 S**

(45) **Date of Patent:** **\*\* Feb. 22, 2011**

(54) **RUGGED HANDHELD DEVICE**

(75) Inventor: **Hsiao-Jung Hsu**, Taipei County (TW)

(73) Assignee: **Getac Technology Corporation**,  
Hsinchu (TW)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/351,448**

(22) Filed: **Dec. 5, 2009**

(30) **Foreign Application Priority Data**

Sep. 25, 2009 (CN) ..... 2009 3 0237086

(51) **LOC (9) Cl.** ..... **14-02**

(52) **U.S. Cl.** ..... **D14/341**

(58) **Field of Classification Search** ..... D14/341-347,  
D14/137, 138, 138.1, 138 AA, 138 R, 138 AB,  
D14/138 G, 138 A, 496, 426, 429, 129, 130,  
D14/420, 439-441, 448, 125, 147, 156, 218,  
D14/250, 336, 203.1, 203.3, 203.4, 203.7,  
D14/315, 388-390; D21/324, 329, 330;  
D10/65, 104; D18/6-7; 345/169, 901, 905,  
345/156, 157, 168, 173; 361/814, 680, 686,  
361/679.27, 679.3; 341/22; 348/168; 379/433.04,  
379/433.07, 433.11, 916, 433.01, 433.06  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

6,388,659 B2 \* 5/2002 Myerson et al. .... 345/169  
D496,366 S \* 9/2004 Croley et al. .... D14/429  
D511,773 S \* 11/2005 Horiki et al. .... D14/346  
D531,177 S \* 10/2006 Okanoya et al. .... D14/346

D532,326 S \* 11/2006 Ishii ..... D10/70  
D556,750 S \* 12/2007 Fitch et al. .... D14/346  
D571,757 S \* 6/2008 Kesler et al. .... D14/137  
D581,421 S \* 11/2008 Richardson et al. .... D14/440  
D598,407 S \* 8/2009 Richardson et al. .. D14/138 AA  
D602,456 S \* 10/2009 Aithal et al. .... D14/138 AA

**OTHER PUBLICATIONS**

ruggedpreview.com; Getac PS 236; Announced Sep. 8, 2009. Cap-  
tured Aug. 13, 2010.\*

\* cited by examiner

*Primary Examiner*—Cathron C Brooks

*Assistant Examiner*—Barbara Fox

(57) **CLAIM**

The ornamental design for a rugged handheld device, as  
shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a rugged handheld device  
showing my new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;

FIG. 4 is a left side elevational view thereof;


FIG. 5 is a right side elevational view thereof;

FIG. 6 is a top plan view thereof; and,

FIG. 7 is a bottom plan view thereof.

The broken lines shown in the drawings are for the purpose of  
illustrating unclaimed portions of the rugged handheld device  
and form no part of the claimed design.

**1 Claim, 5 Drawing Sheets**






FIG. 1




FIG.2






FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7