



US00D633212S

(12) **United States Design Patent**
Takemoto

(10) **Patent No.:** **US D633,212 S**

(45) **Date of Patent:** **** Feb. 22, 2011**

(54) **HEARING AID**

(75) Inventor: **Masaki Takemoto**, Ehime (JP)

(73) Assignee: **Panasonic Corporation**, Osaka (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/350,848**

(22) Filed: **Nov. 24, 2009**

(30) **Foreign Application Priority Data**

Jun. 5, 2009 (JP) 2009-012699

(51) **LOC (9) Cl.** **24-99**

(52) **U.S. Cl.** **D24/174**

(58) **Field of Classification Search** D24/173-175,
D24/106; D14/205, 223, 224, 249; 381/23.1,
381/312, 322-324, 328-330, 334
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D251,234 S 3/1979 Håkansson et al.
- D251,852 S 5/1979 Guice
- D273,706 S 5/1984 McCall
- D294,862 S 3/1988 Diefenbach
- D322,126 S 12/1991 van Mourik
- D322,319 S 12/1991 van Mourik
- D354,568 S 1/1995 Araki et al.
- D385,036 S 10/1997 Nielsen
- D411,885 S 7/1999 Mavrakis et al.
- D457,635 S 5/2002 Dittli et al.
- D471,630 S 3/2003 Schelbach
- D506,258 S 6/2005 Nielsen
- D516,216 S 2/2006 Portmann
- D529,612 S 10/2006 Feeley et al.
- D530,819 S 10/2006 Jurkiewicz et al.
- D532,111 S 11/2006 Espersen
- D541,420 S 4/2007 Darbut et al.
- D546,455 S 7/2007 Darbut et al.
- D557,419 S 12/2007 Jurkiewicz
- D558,880 S 1/2008 Le
- D560,808 S 1/2008 Jurkiewicz

- D562,459 S 2/2008 Jurkiewicz
- D562,983 S 2/2008 Jurkiewicz
- D568,480 S 5/2008 Lockenwitz
- D572,823 S * 7/2008 Niccolai et al. D24/174
- D575,872 S 8/2008 Pedersen
- D579,567 S 10/2008 Pedersen
- D587,378 S 2/2009 Powers et al.
- D595,856 S 7/2009 Tronza
- 7,590,255 B2 * 9/2009 Nielsen 381/330
- D605,769 S * 12/2009 Sjursen et al. D24/174
- 2008/0152177 A1 * 6/2008 Watanuki et al. 381/330

FOREIGN PATENT DOCUMENTS

- JP D814315 7/1991
- JP D847917 9/1992

(Continued)

Primary Examiner—T. Chase Nelson
Assistant Examiner—Anhdao Doan
(74) *Attorney, Agent, or Firm*—Brinks Hofer Gilson & Lione


(57) **CLAIM**

I claim the ornamental design for a hearing aid, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a hearing aid of the present invention;
FIG. 2 is a front view thereof;
FIG. 3 is a rear view thereof;
FIG. 4 is a first side view thereof;
FIG. 5 is a second side view thereof;
FIG. 6 is a top view thereof; and,
FIG. 7 is a bottom view thereof.
The broken line showing of hearing aid is included for the purpose of illustrating environment and forms no part of the claimed design.

1 Claim, 7 Drawing Sheets



US D633,212 S

Page 2

FOREIGN PATENT DOCUMENTS					
			JP	D1309272	9/2007
			JP	D1323108	3/2008
JP	D872059	7/1993	JP	D1323110	3/2008
JP	D951266	4/1996	JP	D1333147	6/2008
JP	D1009144	5/1998	JP	D1333148	6/2008
JP	D1009144/1	4/2000	JP	D1265177	2/2009
JP	D1090215	11/2000	JP	D1370640	10/2009
JP	D1160851	12/2002	JP	D1370641	10/2009
JP	D1191477	12/2003	JP	D1370990	10/2009
JP	D1191480	12/2003			
JP	D1194501	1/2004			

* cited by examiner

FIG.1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6




FIG. 7

