



US00D633232S

(12) **United States Design Patent**
Feigenbaum

(10) **Patent No.:** **US D633,232 S**

(45) **Date of Patent:** **** Feb. 22, 2011**

(54) **LIGHTING DEVICE**

(75) Inventor: **Marvin Feigenbaum**, New York, NY
(US)

(73) Assignee: **Acolyte Technologies Corporation**,
New York, NY (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/350,018**

(22) Filed: **Nov. 10, 2009**

(51) **LOC (9) Cl.** **26-05**

(52) **U.S. Cl.** **D26/24**

(58) **Field of Classification Search** D26/24,
D26/26, 37, 46, 72, 85, 87, 88, 89, 93, 104,
D26/113, 118, 2, 3, 28, 38, 60; D10/111,
D10/114; D23/366, 367, 368; D13/107,
D13/108, 180, 182; 362/640, 641, 642, 643,
362/644, 652, 653, 655, 657, 249.02, 311.02,
362/800, 806, 555, 567, 116, 122, 123, 145,
362/147, 157, 183, 194, 195, 200

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,836,766 A	9/1974	Auerbach	
D234,155 S	1/1975	Gellert	
D291,360 S	8/1987	De Vos et al.	
4,860,177 A	8/1989	Simms	
D331,638 S	12/1992	Vamberszky et al.	
5,307,250 A	4/1994	Pearson	
D348,535 S	7/1994	Burnett	
D349,778 S	8/1994	Johnson et al.	
D370,072 S	5/1996	Arden	
D377,229 S	1/1997	Shalvi	
D384,181 S *	9/1997	Borden D26/110
5,685,097 A	11/1997	Marinov	
D397,233 S	8/1998	Bassford	
D400,406 S	11/1998	House	
6,120,162 A	9/2000	Guerrieri	
D439,355 S	3/2001	Ford	
D442,303 S *	5/2001	Moriyama et al. D26/24

D443,093 S	5/2001	Chiang	
D443,713 S *	6/2001	Benensohn D26/72
D446,325 S	8/2001	Guerrieri	
D447,584 S	9/2001	Guerrieri	
D472,339 S	3/2003	Russello et al.	
D482,469 S	11/2003	Guerrieri	
6,641,283 B1	11/2003	Bohler	
D484,270 S *	12/2003	Yiu D26/89
D485,004 S	1/2004	Olson	

(Continued)

OTHER PUBLICATIONS

LED Submersible Light, May 6, 2009, http://www.theeventdressers.net/store/product_info.php?products_id=102&osCsid=0imna9ub00sbnaj9omgm3si8d4, viewed on Nov. 4, 2010.*

(Continued)

Primary Examiner—Angela J Lee
(74) *Attorney, Agent, or Firm*—Gottlieb, Rackman & Reisman, P.C.

(57) **CLAIM**


The ornamental design for a lighting device, as shown and described.

DESCRIPTION

FIG. 1 is a top, front and left side perspective view of a lighting device showing my new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a left side elevational view thereof, the right side elevational view being a mirror image;
FIG. 5 is a top plan view thereof; and,
FIG. 6 is a bottom plan view thereof.

The broken lines showing the environment in the figures are for illustrative purpose only and form no part of the claimed design.

1 Claim, 3 Drawing Sheets



US D633,232 S

Page 2

U.S. PATENT DOCUMENTS

D489,578 S	5/2004	Lai	
D495,818 S	9/2004	Shieh	
6,840,654 B2	1/2005	Guerrieri et al.	
D501,573 S	2/2005	Benensohn	
6,848,807 B2	2/2005	Guerrieri	
6,848,808 B2	2/2005	Guerrieri	
6,857,771 B2	2/2005	Guerrieri	
6,900,735 B2	5/2005	Guerrieri et al.	
D510,639 S	10/2005	Brady	
D528,996 S	9/2006	Egawa	
D535,039 S *	1/2007	Sorokin	D26/24
D535,262 S *	1/2007	Saito et al.	D13/180
D544,117 S *	6/2007	Coushaine	D26/37
D561,924 S *	2/2008	Yiu	D26/72
D562,492 S	2/2008	Chen	
D573,292 S	7/2008	Zheng et al.	
D577,836 S *	9/2008	Engebrigtsen	D26/24
D586,491 S	2/2009	Levine	
D590,098 S	4/2009	Campbell	
D593,224 S *	5/2009	Hanley	D26/2
D598,583 S	8/2009	Levine	
D603,811 S *	11/2009	Son	D13/180
D604,880 S	11/2009	Lovegrove	
D610,733 S	2/2010	Chang	
D615,231 S	5/2010	van Klinken	
D616,590 S	5/2010	Huang et al.	
D620,187 S	7/2010	Quadri	
2008/0158863 A1 *	7/2008	Tsai	362/183
2010/0271823 A1 *	10/2010	Huang et al.	362/249.02

OTHER PUBLICATIONS

New for 2010 Floralytes, Dec. 3, 2009, <http://www.bridaltweet.com/profiles/blogs/new-for-2010-floralytes-accent>, viewed on Nov. 4, 2010.*

Acolyte Technologies Corporation, Products Catalog, www.888Acolyte.com.

Japanese Patent Office, Office Action in connection with design application serial No. D 2010-013870, rejecting the subject design based on the publication of the product on Amazon.com (see attached photograph) on Jun. 22, 2009.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6